
BISQUE

Beautiful radiators for stylish interiors



JANUARY 2021

In the spotlight

New to Bisque, the Optic towel radiator is perfect for large, modern family bathrooms with ample towel hanging space.



The Bisque Balmoral has been named as the winner of the SBID Product Design Awards 2020 in the category of Heating & Cooling.



Bisque are celebrating over 40 years of iconic design.



A warm welcome

Bisque was founded in 1979 and quickly became a company with a mission - to offer beautiful but practical radiators in the most exciting styles, colours and finishes.

From timeless classics to the latest in energy efficient designs, our radiators can be found in wide variety of locations from The Shard to Highgrove House and our commitment to design, innovation and customer service has seen us regularly win awards, including CoolBrands and the BKU Award for Best Heating Brand.

This year Bisque are celebrating over 40 years of innovative design. Over the years Bisque have worked with up and coming designers to create high quality gorgeous products. We remain driven by enthusiastic people who understand how much a beautiful radiator can transform interiors.

On our website you will find even more inspirational imagery, together with handy tools such as our easy-to-use heatloss calculator, installation guides and our unique colour and valve selector tool, which allows you to see every stock model in every available finish and with complementary valves. You can also order free colour samples so that you can be confident that the finish you have chosen is the perfect fit for your home.

For the very latest from Bisque follow us at

Twitter: @BisqueRadiators
Facebook: BisqueradiatorsUK
Instagram: Bisque_radiators
Pinterest: Bisqueradiators
LinkedIn: Bisque Radiators
YouTube: Bisque Radiators


"[Bisque]...bringing you luxurious, stylish radiators and adding excitement to the world of heating" Kitchens, Bedrooms & Bathrooms



Accredited Premium Partner of the Society of British and International Design (SBID)



As a division of Zehnder Group UK Ltd Bisque are proud members of MARC





How to size a radiator

To establish the heat output required you can consult your plumber or use the Bisque heat loss calculator found on our website. Our sales teams will be happy to assist with any calculations.

We keep over 300 sizes in stock but many radiator styles are also available in a further range of bespoke sizes.

Technical data

Heat outputs listed in the brochure are given in watts and british thermal units (btus). All outputs have been determined according to EN 442 by independent laboratories and are shown at operating temperatures of ΔT = 50K.

Technical information is shown on page 128 of this brochure. Detailled installation information can be found on our website.

All of our products are compliant with European regulations.





Accreditations correct at date of print November 2020

Colour and finishes

The majority of our radiators are available from stock in at least 2-3 finishes, which we believe will complement most interiors. However, for many ranges there is a great selection of other options available to order and this is indicated by a colours price under the model listing.

As there is a variety in options between ranges, please consult the Colours section on page 146 to see which radiators are available with which colours and finishes.

Pipe centres

Where models have underside connections we have listed the pipe centres. However please note that these may alter depending on the installation e.g. if a supplementary heater is fitted. Please check carefully before drilling holes in tiles or wood flooring.

Delivery charge

Prices quoted include free delivery to the UK mainland for radiators and towel radiators.

Orders for valves, fans, elements and accessories with a net order value under £100 are subject to a processing charge of £10 + VAT

Warranty

Warranty terms differ according to material and manufacture. Our stainless steel radiators have a 10 year warranty, all other central heating radiators have a 5 year warranty. Radiators with electric heating elements have a 2 year warranty.

Warranties are subject to correct installation to current standards / water treatments and use.

Please see the inside back cover of this brochure for our Terms and Conditions.

Contents



Towel Rails and Radiators




^{*} Stainless Steel towel rails are recommended for wet rooms due to the high moisture levels

General Purpose Radiators

| 74 | Arteplano | 112 | Flow Form |
|-----|--------------------|-----|-----------|
| | Blok■ | 116 | Lissett |
| 86 | Classic | 122 | Trubi |
| 102 | Decorative panel ■ | | |
| 108 | Finn | | |

Misc

- 128 Technical data
- 136 Valves
- 144 Electric and supplementary heaters
- 146 Colours and special finishes





























Alban

The rectangular version of our popular Chime has the same sparkling appeal but with a perpendicular style. Cantilevered rails allow for even the plumpest towels to be easily slid on and off. Great for family bathrooms, the Alban can be installed with the rails to the left or right.

Electric models


Rails supplied as standard with non-adjustable thermostat. Please allow 100 mm beneath the rail for the flex. See page 144.



Supplementary Heater Connection

Electric DE-PACK thermostat supplied in chrome to match rail.

*pipe centres may be affected.



ALB-100-50

height: 1000 mm / 40 ins length: 500 mm / 20 ins output: 256 watts / 873 btu

*pipe centres: 50 mm

+VAT

mirror finish: £743 £891.60

supplementary heater (200 watts): DE-PACK-200: £125 £150.00



ALB-140-50

height: 1380 mm / 55 ins length: 500 mm / 20 ins output: 332 watts / 1133 btu

*pipe centres: 50 mm

+VAT

mirror finish: **£897** £1076.40

supplementary heater (250 watts): DE-PACK-250: £125 £150.00



ALB-180-50


height: 1760 mm / 70 ins length: 500 mm / 20 ins output: 417 watts / 1423 btu

*pipe centres: 50 mm

+VAT

mirror finish: £1076 £1291.20

supplementary heater (300 watts): DE-PACK-300: £125 £150.00




ALBEL-100-50/F ALBER-100-50/F

height: 1070 mm / 43 ins length: 500 mm / 20 ins output: 200 watts

+V/

mirror finish: £818 £981.60



ALBEL-140-50/F ALBER-140-50/F

height: 1450 mm / 58 ins length: 500 mm / 20 ins output: 250 watts

+VAT mirror finish: £977 £1172.40 Please note a 15% surcharge will be applied to all prices displayed, on all orders placed from 1st August 2021

It's all in the detail...

- prices inclusive of VAT are shown in green
- prices surrounded by a white box indicate stock items
- projection from wall to front face: 100 125 mm
- rail can be installed with the tubes to the right or the left
- CTE fuel saving supplementary electric element with 5 water-temperature settings between 30°C and 60°C available in white or chrome - see page 145

Have you considered...



For pipes from wall we recommend valve set 5 see page 138.



For pipes from wall or the floor we recommend valve set 27 see page 138.



ARB-120-50

height: 1230 mm / 49 ins length: 525 mm / 21 ins

white output: 336 watts / 1146 btu chrome output: 233 watts / 795 btu

+VAT

 white (RAL 9016): £668
 £801.60

 colours:
 £835
 £1002.00

 chrome:
 £855
 £1026.00




ARBE-120-50/F

Electric

height: 1230 mm / 49 ins length: 525 mm / 21 ins output: 200 watts

+VAT

white (RAL 9016): £777 £932.40 colours: £971 £1165.20 chrome: £995 £1194.00



Designed by Leo Salzedo

- prices inclusive of VAT are shown in green
- prices surrounded by a white box indicate stock items / white (RAL 9016) and colours: please allow 5 6 weeks
- projection from wall to front face: 104 108 mm





For pipes from wall or floor we recommend valve set 8, see page 138.

Available from stock in chrome it can also be ordered in bright nickel, polished brass, antique bronze and antique gold finishes.



BALM

Towel Rails and Radiators

height: 850 mm / 34 ins length: 735 mm / 29 ins

chrome output: 683 watts / 2330 btu

| chrome: | £1338 | £1605.60 |
|------------------|-------|----------|
| bright nickel: | £1673 | £2007.60 |
| polished brass: | £2342 | £2810.40 |
| antique brass: | £2342 | £2810.40 |
| antique bronze: | £2342 | £2810.40 |
| antique copper: | £2342 | £2810.40 |
| polished copper: | £2342 | £2810.40 |
| brushed copper: | £2342 | £2810.40 |
| antique gold: | £2475 | £2970.00 |
| dark gold: | £2475 | £2970.00 |
| | | |



BALMM/F **Dual Fuel**

height: 850 mm / 34 ins length: 735 mm / 29 ins

chrome output: 683 watts / 2330 btu

| chrome: | £1490 | £1788.00 |
|------------------|-------|----------|
| bright nickel: | £1825 | £2190.00 |
| polished brass: | £2494 | £2992.80 |
| antique brass: | £2494 | £2992.80 |
| antique bronze: | £2494 | £2992.80 |
| antique copper: | £2494 | £2992.80 |
| polished copper: | £2494 | £2992.80 |
| brushed copper: | £2494 | £2992.80 |
| antique gold: | £2627 | £3152.40 |
| dark gold: | £2627 | £3152.40 |

Colour matching available on central heating



BALME/F **Electric**

height: 850 mm / 34 ins length: 735 mm / 29 ins chrome output: 400 watts

chrome: bright nickel: polished brass: £2681 antique brass: £2681 antique bronze: £2681 antique copper: £2681 polished copper: £2681 brushed copper: £2681 £3217.20 antique gold: £2825 dark gold: £2825 £3390.00

Polished brass and colour match to Farrow & Ball Calamine




- prices inclusive of VAT are shown in green
- prices surrounded by a white box indicate stock items / other finishes: please allow 8 10 weeks
- lead times for colour matching vary please contact our sales team for more information
- projection from wall to front face: 250 mm














aluminium

Other finishes are available for this product via our

a 15% surcharge will be applied to all prices displayed, on all orders placed from 1st August 2021

Please note



BLA-60-33'

height: 590 mm / 24 ins length: 327 mm / 13 ins output: 297 watts / 1013 btu

white (RAL 9016): £357 £428.40 £357 volcanic: aluminium: £446 champagne: £446 nickel: £446 £535.20 marron: £446 £535.20 white sable: £446 £535.20


to make this a towel radiator please add a BLARS-33 towel rail to the order. Max. 1rail per radiator: BLARS-33: £137 £164.40



height: 1290 mm / 51 ins length: 327 mm / 13 ins output: 562 watts / 1918 btu

white (RAL 9016): £442 £530.40 £442 volcanic: aluminium: champagne: nickel: £553 marron: £553 £663.60 white sable: £553 £663.60

to make this a towel radiator please add a BLAR-33 towel rail to the order. Max. 1 rail per radiator: BLAR-33: £137 £164.40



BLA-160-33

height: 1590 mm / 63 ins length: 327 mm / 13 ins output: 675 watts / 2303 btu

white (RAL 9016): £485 £582.00 £485 volcanic: aluminium: £606 champagne: £606 nickel: £606 £727.20 white sable: £606 £727.20

to make this a towel radiator please add a BLAR-33 towel rail to the order. Max. 3 rails per radiator: BLAR-33: £137 £164.40

BLA-190-33

height: 1890 mm / 75 ins length: 327 mm / 13 ins output: 789 watts / 2692 btu

white (RAL 9016): £533 £533 volcanic: aluminium: £666 champagne: £666 nickel: £666 £666 white sable: £666 £799.20

to make this a towel radiator please add a BLAR-33 towel rail to the order. Max 3 rails per radiator: BLAR-33: £137 £164.40

- prices inclusive of VAT are shown in green
- prices in a white box indicate stock items / aluminium, champagne, nickel, marron and white sable: please allow 4 - 6 weeks
- Towel rails must be ordered and fitted prior to installation
- BLA-60-33 using BLARS-33 projection from wall to front face: 80 mm (rail adds 38 mm)
- all other models using BLAR-33 projection from wall to front face: 80 mm (rail adds 66 mm)



Have you considered...



For pipes from floor we recommend valve set 37 see page 141.



*Model BLA-60-33 using BLARS-33 is designed for cloakrooms and comes with a narrower towel rail so it can fit into small spaces.





For pipes from wall we recommend **valve set 8**, see page 138. Available from stock in chrome it can also be ordered in bright nickel, polished brass, antique bronze and antique gold finishes.



BUCK

height: 750 mm / 30 ins length: 500 mm / 20 ins

chrome output: 175 watts / 597 btu

pipe centres: 425 mm



BUCKM/F

Dual Fuel

height: 750 mm / 30 ins length: 500 mm / 20 ins

chrome output: 175 watts / 597 btu

pipe centres: 425 mm

chrome: \$2963 \$1155.60
bright nickel: \$1166 \$1399.20
polished brass: \$1571 \$1885.20
antique bronze: \$1571 \$1885.20
antique copper: \$1571 \$1885.20
polished copper: \$1571 \$1885.20
brushed copper: \$1571 \$1885.20
brushed copper: \$1571 \$1885.20
antique gold: \$1652 \$1982.40
dark gold: \$1652 \$1982.40



BUCKE/F

Electric

height: 750 mm / 30 ins length: 500 mm / 20 ins chrome output: 150 watts

 chrome:
 £1035
 £1242.00

 bright nickel:
 £1253
 £1503.60

 polished brass:
 £1688
 £2025.60

 antique brass:
 £1688
 £2025.60

 antique bronze:
 £1688
 £2025.60

 antique copper:
 £1688
 £2025.60

 polished copper:
 £1688
 £2025.60

 brushed copper:
 £1688
 £2025.60

 antique gold:
 £1776
 £2131.20

 dark gold:
 £1776
 £2131.20

Polished brass



It's all in the detail...


- prices inclusive of VAT are shown in green
- prices surrounded by a white box indicate stock items / other finishes: please allow 8 10 weeks
- available to order in a range of Deluxe finishes see page 154
- projection from wall to front face: 120 mm



Please note a 15% surcharge will be applied to

all prices displayed, on all






Please note

Chime

Please note
a 15% surcharge
will be applied to
all prices
displayed, on all
orders placed from
1st August 2021



CHM-100-50

height: 1000 mm / 40 ins length: 500 mm / 20 ins

volcanic output: 382 watts / 1302 btu mirror output: 276 watts / 942 btu

*pipe centres: 50 mm

+VAT

volcanic: £507 £608.40 mirror finish: £757 £908.40

supplementary heater (200 watts): DE-PACK-200: £125 £150.00

CHM-140-50

height: 1380 mm / 55 ins length: 500 mm / 20 ins

volcanic output: 518 watts / 1766 btu mirror output: 377 watts / 1286 btu

*pipe centres: 50 mm

+/

volcanic: £609 £730.80 mirror finish: £909 £1090.80

supplementary heater (250 watts): DE-PACK-250: £125 £150.00

CHM-180-50


height: 1760 mm / 70 ins length: 500 mm / 20 ins

volcanic output: 643 watts / 2193 btu mirror output: 438 watts / 1494 btu

*pipe centres: 50 mm

volcanic: £732 £878.40 mirror finish: £1092 £1310.40


supplementary heater (300 watts): DE-PACK-300: £125 £150.00



CHMEL-100-50/F CHMER-100-50/F

height: 1070 mm / 43 ins length: 500 mm / 20 ins output: 200 watts

+VAT mirror finish: £835 £1002.00



CHMEL-140-50/F CHMER-140-50/F

height: 1450 mm / 58 ins length: 500 mm / 20 ins output: 250 watts

+VAT mirror finish: £1000 £1200.00

It's all in the detail...

- prices inclusive of VAT are shown in green
- prices surrounded by a white box indicate stock items
- projection from wall to front face: 121 146 mm
- rail can be installed with the tubes to the right or the left
- CTE fuel saving supplementary electric element with 5 water-temperature settings between 30°C and 60°C available in white or chrome - see page 145

Have you considered...



For pipes from wall we recommend valve set 27 see page 138.

Have you considered...



Electric models

Rails supplied as standard with non-adjustable thermostat. Please allow 100 mm beneath the rail for the flex. See page 144.



Supplementary Heater Connection

Electric DE-PACK thermostat supplied in chrome to match rail.

*pipe centres may be affected.





Please note



Classic towel

Please note a 15% surcharge will be applied to all prices displayed, on all orders placed from 1st August 2021

bespoke sizes available



2W-75-37

height: 742 mm / 30 ins length: 394 mm / 16 ins depth: 62 mm / 3 ins

output: 440 watts / 1501 btu

pipe centres: 326 mm white (RAL 9010): £322 £386.40 white (RAL 9016): £322 £386.40 anthracite finish: £382 £458.40 colours:

to make this a towel radiator please add a CTR-37 towel rail to the order:





2W-75-46

height: 742 mm / 30 ins length: 486 mm / 20 ins depth: 62 mm / 3 ins

output: 550 watts / 1877 btu

pipe centres: 418 mm white (RAL 9010): £382 £458.40 white (RAL 9016): £382 £458.40 anthracite finish: £457

to make this a towel radiator please add a CTR-46 towel rail to the order:

CTR-46: £140 £168.00



2W-75-55

height: 742 mm / 30 ins length: 578 mm / 23 ins depth: 62 mm / 3 ins

output: 660 watts / 2252 btu

pipe centres: 510 mm white (RAL 9010): £442 £530.40 white (RAL 9016): £442 £530.40 anthracite finish: £532 £638.40 colours:

to make this a towel radiator please add a CTR-55 towel rail to the order:

CTR-55: £143 £171.60



2W-75-64

height: 742 mm / 30 ins length: 670 mm / 27 ins depth: 62 mm / 3 ins

output: 770 watts / 2627 btu

pipe centres: 602 mm white (RAL 9010): £501 £601.20 white (RAL 9016): £501 £601.20 anthracite finish: £606 £727.20

to make this a towel radiator please add a CTR-64 towel rail to the order:

CTR-64: £152 £182.40

- prices inclusive of VAT are shown in green
- prices surrounded by a white box indicate stock items / white (RAL 9016) and colours: please allow 4 6 weeks
- projection from wall to front face: 90 mm (rail adds 79 mm)



Have you considered...




For pipes from wall we recommend **valve set 11** see page 141.



For pipes from floor we recommend **valve set 36** see page 141.





2W-180-28

height: 1792 mm / 71 ins length: 302 mm / 12 ins depth: 62 mm / 3 ins output: 744 watts / 2539 btu

pipe centres: 234 mm +VAT white (RAL 9010): £454 £544.80 white (RAL 9016): £454 £544.80 anthracite finish: £547 £656.40

to make this a towel radiator please add a CTR-28 towel rail to the order:

CTR-28: £127 £152.40



2W-180-46

height: 1792 mm / 71 ins length: 486 mm / 20 ins depth: 62 mm / 3 ins

output: 1240 watts / 4231 btu

pipe centres: 418 mm +VAT

white (RAL 9010): £702 £842.40


white (RAL 9016): £702 £842.40

anthracite finish: £857 £1028.40

colours: £857 £1028.40

to make this a towel radiator please add a CTR-46 towel rail

to the order: CTR-46: £140 £168.00




2W-180-37

height: 1792 mm / 71 ins length: 394 mm / 16 ins depth: 62 mm / 3 ins

output: 992 watts / 3385 btu

to make this a towel radiator please add a CTR-37 towel rail to the order:

CTR-37: £135 £162.00



2W-180-55

height: 1792 mm / 71 ins length: 578 mm / 23 ins depth: 62 mm / 3 ins

output: 1488 watts / 5077 btu

pipe centres: 510 mm

white (RAL 9010): £825 £990.00

white (RAL 9016): £825 £990.00


anthracite finish: £1011 £1213.20

colours: £1011 £1213.20

to make this a towel radiator please add a CTR-55 towel rail

CTR-55: £143 £171.60





- prices inclusive of VAT are shown in green
- prices surrounded by a white box indicate stock items / white (RAL 9016) and colours: please allow 4 – 6 weeks
- projection from wall to front face: 90 mm (rail adds 79 mm)



Have you considered...



For pipes from floor we recommend **valve set 36** see page 141.



For pipes from wall we recommend valve set 11 see page 141.









DEL-80-50

height: 786 mm / 31 ins length: 500 mm / 20 ins

general output: 379 watts / 1293 btu chrome output: 277 watts / 945 btu

*pipe centres: 456 mm

white (RAL 9016): £166 £199.20 £208 £249.60 volcanic: matt black: £208 £249.60 anthracite: £208 £249.60 titane: £208 beige guartz: £208 colours: £208 £249.60 chrome: £359 £430.80

supplementary heater (200 watts): DE-PACK-200: £125 £150.00



DEL-120-60

height: 1226 mm / 49 ins length: 600 mm / 24 ins

general output: 648 watts / 2211 btu chrome output: 473 watts / 1614 btu

*pipe centres: 556 mm

white (RAL 9016): £212 volcanic: matt black: £265 £265 £318.00 anthracite: £265 £318.00 titane: beige quartz: £265 £318.00 colours: £265 £318.00 £498 £597.60

supplementary heater (300 watts): DE-PACK-300: £125 £150.00



DEL-80-60

height: 786 mm / 31 ins length: 600 mm / 24 ins

general output: 448 watts / 1529 btu chrome output: 327 watts / 1116 btu

*pipe centres: 556 mm white (RAL 9016): £178 £213.60 volcanic: matt black: £223 anthracite: £223 £267.60 titane: £223 beige quartz: £223 colours: chrome: £390 £468.00

supplementary heater (200 watts): DE-PACK-200: £125 £150.00



DEL-180-50

height: 1866 mm / 74 ins length: 500 mm / 20 ins

general output: 830 watts / 2832 btu chrome output: 606 watts / 2068 btu

*pipe centres: 456 mm

white (RAL 9016): £273 volcanic: £341 matt black: anthracite: £341 £341 titane: beige quartz: £341 colours: £681 £817.20

supplementary heater (400 watts): DE-PACK-400: £125 £150.00



height: 1226 mm / 49 ins length: 500 mm / 20 ins

general output: 552 watts / 1883 btu chrome output: 403 watts / 1375 btu

*pipe centres: 456 mm white (RAL 9016): £196 £235.20 volcanic: £245 £245 matt black: £245 anthracite: £245 titane: beige quartz: £245 colours: £245 £294.00 chrome: £459 £550.80

supplementary heater (250 watts): DE-PACK-250: £125 £150.00



DEL-180-60

height: 1866 mm / 74 ins length: 600 mm / 24 ins

general output: 978 watts / 3337 btu chrome output: 714 watts / 2436 btu

*pipe centres: 556 mm

white (RAL 9016): £282 £338.40 volcanic: £353 matt black: anthracite: £353 £353 £423.60 titane: beige quartz: £353 £423.60 colours: £353 £423.60 £738 £885.60

supplementary heater (400 watts): DE-PACK-400: £125 £150.00

- prices inclusive of VAT are shown in green
- prices surrounded by a white box indicate stock items /colours: please allow 4 6 weeks
- projection from wall to front face: 70 mm 80 mm
- CTE fuel saving supplementary electric element with 5 water-temperature settings available in white or chrome see page 145

Have you considered...



For pipes from wall we recommend **valve set 28** see page 139.



Supplementary Heater Connection

Electric DE-PACK thermostat supplied in white and chrome to match rail. (Colour rails supplied with chrome thermostat).

*pipe centres may be affected.



Have you considered...



For models in volcanic finish, manual valve sets 26, 27 and 28 are now available in a complementary finish.



For models in matt black finish valve set 27 is available in a complementary finish.
See page 138.

Deline (Electric)

Please note a 15% surcharge will be applied to all prices displayed, on all orders placed from 1st August 2021



DELE-80-50/F Electric

height: 786 mm / 31 ins length: 500 mm / 20 ins general output: 400 watts chrome output: 200 watts

 white (RAL 9016):
 £301
 £361.20

 colours:
 £376
 £451.20

 chrome:
 £494
 £592.80



DELE-80-60/F Electric

786 mm / 31 ins length: 600 mm / 24 ins general output: 400 watts chrome output: 200 watts

white (RAL 9016): £313 £375.60 colours: £391 £469.20 chrome: £525 £630.00



DELE-120-50/F

Electric

height: 1226 mm / 49 ins length: 500 mm / 20 ins general output: 500 watts chrome output: 400 watts

 white (RAL 9016):
 £331
 £397.20

 colours:
 £414
 £496.80

 chrome:
 £594
 £712.80



DELE-120-60/F Electric

height: 1226 mm / 49 ins length: 600 mm / 24 ins general output: 600 watts chrome output: 400 watts

white (RAL 9016): £347 £416.40 colours: £434 £520.80 chrome: £633 £759.60



DELE-180-50/F

Electric

height: 1866 mm / 74 ins length: 500 mm / 20 ins general output: 600 watts chrome output: 500 watts

white (RAL 9016): £408 £489.60 colours: £510 £612.00 chrome: £816 £979.20



DELE-180-60/F

Electric

height: 1866 mm / 74 ins length: 600 mm / 24 ins general output: 600 watts chrome output: 600 watts

 white (RAL 9016):
 £417
 £500.40

 colours:
 £521
 £625.20

 chrome:
 £873
 £1047.60

- prices inclusive of VAT are shown in green
- prices surrounded by a white box indicate stock items / white and colours: please allow 4 6 weeks
- projection from wall to front face: 70 mm 80 mm

Have you considered...



Electric models

Rails supplied as standard with non-adjustable thermostat in chrome. Please allow 100 mm beneath the radiator for the flex.



Cable Cover SHEC

(optional extra): £56 £67.20 inc VAT

This neat chrome cover hides the cable attached to the heater. Now available in matt black.





a 15% surcharge will be applied to all prices displayed, on all orders placed from 1st August 2021 Gio This towel rail may be square but it's certainly not dull. Made of stainless steel, it has been polished to a dazzlingly superior standard and can be used on any central heating or hot water system.

Please note





GIO-90-55

height: 900 mm / 36 ins length: 530 mm / 21 ins output: 177 watts / 604 btu

*pipe centres: 500 mm

+VAT

mirror finish: £495 £594.00

DE-PACK-100: £125 £150.00



GIO-120-55

height: 1200 mm / 48 ins length: 530 mm / 21 ins output: 243 watts / 829 btu

*pipe centres: 500 mm

+VAT

mirror finish: £628 £753.60

DE-PACK-200: £125 £150.00



GIO-150-55

height: 1500 mm / 59 ins length: 530 mm / 21 ins output: 303 watts / 1034 btu

*pipe centres: 500 mm

+VAT

mirror finish: £758 £909.60

DE-PACK-200: £125 £150.00



GIO-180-55

height: 1800 mm / 71 ins length: 530 mm / 21 ins output: 357 watts / 1218 btu

*pipe centres: 500 mm

+VAT

mirror finish: £897 £1076.40

supplementary heater (250 watts): DE-PACK-250: £125 £150.00



GIOE-90-55/F

Electric versions

Electric

height: 900 mm / 36 ins length: 530 mm / 21 ins output: 100 watts

+VAT

mirror finish: £561 £673.20



GIOE-120-55/F

Electric

height: 1200 mm / 48 ins length: 530 mm / 21 ins output: 200 watts

+VAT

mirror finish: £712 £854.40

It's all in the detail...

- prices inclusive of VAT are shown in green
- prices surrounded by a white box indicate stock items
- projection from wall to front face: 75 mm 105 mm
- CTE fuel saving supplementary electric element with 5 water-temperature settings between 30°C and 60°C available in white or chrome - see page 145

Have you considered...



For pipes from wall we recommend valve set 5 see page 138.

Have you considered...



Supplementary Heater Connection

Electric DE-PACK thermostat supplied in chrome to match rail.

*pipe centres may be affected.









HOT-60

height: 662 mm / 26 ins diameter: 200 mm / 8 ins

general output: 308 watts / 1051 btu chrome output: 231 watts / 788 btu

pipe centres: 60 mm

+VAT

white (RAL 9016): £280 £336.00

colours:

£420 £504.00

HOT-120

height: 1262 mm / 50 ins diameter: 200 mm / 8 ins

general output: 606 watts / 2068 btu chrome output: 426 watts / 1454 btu

pipe centres: 60 mm

+VAT

white (RAL 9016): £428 £513.60

colours:

£535 £642.0

chrome:

£642 £770.40



HOT-150

height: 1562 mm / 62 ins diameter: 200 mm / 8 ins

general output: 755 watts / 2576 btu chrome output: 540 watts / 1842 btu

pipe centres: 60 mm

+VAT

white (RAL 9016): £471 £565.20

colours:

£589 £706.80

£707 £848.40

HOT-180

height: 1862 mm / 73 ins diameter: 200 mm / 8 ins

general output: 884 watts / 3016 btu chrome / output: 654 watts / 2231 btu

pipe centres: 60 mm

+VAT

white (RAL 9016): £539 £646.86

colours:

£674 £808.80

hrome:

£809 £970.80

It's all in the detail...

- prices inclusive of VAT are shown in green
- prices surrounded by a white box indicate stock items / white (RAL 9010) and colours: please allow 5 – 6 weeks
- projection from wall to front face: 280 mm



Have you considered...




For pipes from wall we recommend valve set 37 see page 141.



For pipes from floor we recommend valve set 36 see page 141.





Lissett towel

Please note a 15% surcharge will be applied to all prices displayed, on all orders placed from 1st August 2021

aluminium



LI-60-40

height: 590 mm / 23 ins length: 401 mm / 15 ins output: 312 watts / 1064 btu

pipe centres: 201 mm white (RAL 9016): £376 £451.20 £376 £451.20 volcanic: aluminium: champagne: £470 nickel: £470 £470 £564.00

to make this a towel radiator please add a LRS-40 towel rail to the order. Max. 1 rail per radiator: LRS-40: £158 £189.60



LI-160-40

white sable:

height: 1590 mm / 63 ins length: 401 mm / 15 ins output: 742 watts / 2532 btu

pipe centres: 201 mm

white (RAL 9016): £509 £610.80 £509 aluminium: £636 £763.20 champagne: £636 £763.20 nickel: marron: white sable: £636 £763.20

to make this a towel radiator please add a LR-40 towel rail to the order. Max. 3 rails per radiator: LR-40: £160 £192.00



LI-190-40

height: 1890 mm / 74 ins length: 401 mm / 15 ins output: 853 watts / 2911 btu

pipe centres: 201 mm


white (RAL 9016): £554 £664.80 volcanic: £554 £664.80 aluminium: £693 £831.60 champagne: £693 £831.60 nickel: £693 £693 £831.60 white sable: £693 £831.60

to make this a towel radiator please add a LR-40 towel rail to the order. Max. 3 rails per radiator: LR-40: £160 £192.00

It's all in the detail...

- prices inclusive of VAT are shown in green
- prices in a white box indicate stock items / aluminium, champagne, nickel, marron and white sable: please allow 4 – 6 weeks
- other finishes are available for this product via our colour matching service see page 146
- towel rails must be ordered and fitted prior to installation
- LI-60-40 using LRS-40 projection from wall to front face: 69 82 mm (rail adds 45 mm)
- all other models using LR-40 projection from wall to front face: 69 82 mm (rail adds 65 mm)

Other finishes are available for this product via our colour matching service see page 158.



Have you considered...



For pipes from floor we recommend **valve set 36** see page 141.



For pipes from wall we recommend valve set 11 see page 141.

Please note
a 15% surcharge
will be applied to
all prices
displayed, on all
orders placed from

1st August 2021







Olga

This elegant, stainless steel towel rail can be installed on the hot water system with a supplementary heater, so that towels will remain warm and dry even when the central heating system is turned off. The narrower widths are great for small bathrooms and cloakrooms.



OLG-60-50

height: 600 mm / 26 ins length: 480 mm / 19 ins output: 141 watts / 481 btu

*pipe centres: 450 mm

+VAT

mirror finish: £397 £476.40

supplementary heater (100 watts): DE-PACK-100: £125 £150.00



OLG-90-30

height: 900 mm / 36 ins length: 300 mm / 12 ins output: 168 watts / 573 btu

*pipe centres: 270 mm

mirror finish: £398 £477.60

supplementary heater (100 watts): DE-PACK-100: £125 £150.00



OLG-90-50

height: 900 mm / 36 ins length: 480 mm / 19 ins output: 202 watts / 689 btu

*pipe centres: 450 mm

mirror finish: £441 £529.20

supplementary heater (100 watts): DE-PACK-100: £125 £150.00



OLG-120-30

height: 1200 mm / 48 ins length: 300 mm / 12 ins output: 202 watts / 689 btu

*pipe centres: 270 mm

.\/AT

mirror finish: £459 £550.80

supplementary heater (150 watts): DE-PACK-150: £125 £150.00



OLG-120-50

height: 1200 mm / 48 ins length: 480 mm / 19 ins output: 264 watts / 901 btu

*pipe centres: 450 mm

+VAT

mirror finish: £551 £661.20

supplementary heater (150 watts): DE-PACK-150: £125 £150.00



OLG-120-65

height: 1200 mm / 48 ins length: 630 mm / 25 ins output: 336 watts / 1146 btu

*pipe centres: 600 mm

mirror finish: £629 £754.80

supplementary heater (200 watts): DE-PACK-200: £125 £150.00



OLG-155-50

height: 1575 mm / 62 ins length: 480 mm / 19 ins output: 360 watts / 1228 btu

*pipe centres: 450 mm

mirror finish: £675 £810.00

supplementary heater (250 watts): DE-PACK-250: £125 £150.00



OLG-180-50

height: 1800 mm / 72 ins length: 480 mm / 19 ins output: 394 watts / 1344 btu

*pipe centres: 450 mm

mirror finish: £737 £884.40

supplementary heater (250 watts): DE-PACK-250: £125 £150.00

It's all in the detail...

- prices inclusive of VAT are shown in green
- prices surrounded by a white box indicate stock items
- projection from wall to front face: 75 mm 105 mm
- CTE fuel saving supplementary electric element with 5 water-temperature settings between 30°C and 60°C available in white or chrome - see page 145

Have you considered...



For pipes from wall we recommend valve set 27 see page 138.

Electric versions



OLGE-90-30/F Electric

height: 900 mm / 36 ins length: 300 mm / 12 ins output: 100 watts

mirror finish: £482 £578.40



OLGE-90-50/F Electric

height: 900 mm / 36 ins length: 480 mm / 19 ins output: 100 watts

mirror finish: £513 £615.60



OLGE-120-50/F Electric

height: 1200 mm / 48 ins length: 480 mm / 19 ins output: 150 watts

mirror finish: £630 £756.00



OLGE-120-65/F Electric

height: 1200 mm / 48 ins length: 630 mm / 25 ins output: 200 watts


+VAT mirror finish: £712 £854.40



OLGE-155-50/F Electric

height: 1575 mm / 36 ins length: 480 mm / 19 ins output: 250 watts

mirror finish: £773 £927.60





Supplementary Heater Connection

Electric DE-PACK thermostat supplied in chrome to match towel rail.

*pipe centres may be affected.



Electric models

Rails supplied as standard with non-adjustable thermostat in chrome. Please allow 100 mm beneath the radiator for the flex.

Optic

Offering simple yet beautiful design, the Optic works seamlessly in en-suites, family bathrooms and cloakrooms alike. With discreet brackets and a stock range of stunning finishes, the Optic will be an eye-catching accompaniment to any popular bathroom style.



OPT-80-50

height: 792 mm / 32 ins length: 500 mm / 20 ins

general output: 374 watts / 1275 btu chrome output: 227 watts / 774 btu

*pipe centres: 470 mm

white (RAL 9016): £205 £246.00
matt white: £256 £307.20
matt black: £256 £307.20
chrome: £379 £454.80
colours: £256 £307.20

supplementary heater (150 watts): DE-PACK-150: £125 £150.00



OPT-120-60

height: 1176 mm / 47 ins length: 600 mm / 24 ins

general output: 628 watts / 2141 btu chrome output: 373 watts / 1272 btu

*pipe centres: 570 mm

supplementary heater (250 watts): DE-PACK-250: £125 £150.00



OPT-80-60

height: 792 mm / 32 ins length: 600 mm / 24 ins

general output: 434 watts / 1480 btu chrome output: 263 watts / 897 btu

*pipe centres: 570 mm

white (RAL 9016): £232 £278.40
matt white: £290 £348.00
matt black: £290 £348.00
chrome: £429 £514.80
colours: £290 £348.00
supplementary heater (150 watts):

DE-PACK-150: £125 £150.00



OPT-180-50

height: 1816 mm / 72 ins length: 500 mm / 20 ins

general output: 819 watts / 2793 btu chrome output: 504 watts / 1719 btu

*pipe centres: 470 mm

white (RAL 9016): £305 £366.00
matt white: £381 £457.20
matt black: £381 £457.20
chrome: £564 £676.80
colours: £381 £457.20
supplementary heater (300 watts):

DE-PACK-300: £125 £150.00



height: 1176 mm / 47 ins length: 500 mm / 20 ins

general output: 541 watts / 1845 btu chrome output: 323 watts / 1101 btu

*pipe centres: 470 mm

white (RAL 9016): £229 £274.80 matt white: £286 £343.20 matt black: £286 £343.20 chrome: £424 £508.80 colours: £286 £343.20

supplementary heater (200 watts): DE-PACK-200: £125 £150.00



OPT-180-60

height: 1816 mm / 72 ins length: 600 mm / 24 ins

general output: 951 watts / 3243 btu chrome output: 591 watts / 2015 btu

*pipe centres: 570 mm

white (RAL 9016): £313 £375.60
matt white: £391 £469.20
matt black: £391 £469.20
chrome: £579 £694.80
colours: £391 £469.20

supplementary heater (400 watts): DE-PACK-400: £125 £150.00


It's all in the detail...

- prices inclusive of VAT are shown in green
- prices surrounded by a white box indicate stock items
- colours: please allow 5 6 weeks
- projection from wall to front face: 90 mm 100 mm
- CTE fuel saving supplementary electric element with 5 water-temperature settings available in white or chrome see page 145


Have you considered...




For pipes from wall we recommend valve set 5 see page 138.









It's all in the detail...

mirror finish: £1246 £1495.20

- prices inclusive of VAT are shown in green
- prices surrounded by a white box indicate stock items
- projection from wall to front face: 145 mm 175 mm

Have you considered...



For pipes from wall we recommend valve set 5 see page 138.



valve set 8, see page 138.

be ordered in bright nickel, polished brass,

For pipes from wall or floor we recommend Available from stock in chrome it can also antique bronze and antique gold finishes.



OSBO

height: 850 mm / 33 ins length: 600 mm / 24 ins

chrome output: 246 watts / 839 btu

| chrome: | £811 | £973.20 |
|------------------|-------|----------|
| bright nickel: | £1013 | £1215.60 |
| polished brass: | £1419 | £1702.80 |
| antique brass: | £1419 | £1702.80 |
| antique bronze: | £1419 | £1702.80 |
| antique copper: | £1419 | £1702.80 |
| polished copper: | £1419 | £1702.80 |
| brushed copper: | £1419 | £1702.80 |
| antique gold: | £1499 | £1798.80 |
| dark gold: | £1499 | £1798.80 |



OSBOE/F

Electric

height: 850 mm / 33 ins length: 600 mm / 24 ins chrome output: 150 watts

| chrome: | £1035 | £1242.00 |
|------------------|-------|----------|
| bright nickel: | £1253 | £1503.60 |
| polished brass: | £1688 | £2025.60 |
| antique brass: | £1688 | £2025.60 |
| antique bronze: | £1688 | £2025.60 |
| antique copper: | £1688 | £2025.60 |
| polished copper: | £1688 | £2025.60 |
| brushed copper: | £1688 | £2025.60 |
| antique gold: | £1776 | £2131.20 |
| dark gold: | £1776 | £2131.20 |



OSBOM/F


Dual Fuel

height: 850 mm / 33 ins length: 600 mm / 24 ins

chrome output: 246 watts / 839 btu

| chrome: | £963 | £1155.60 |
|------------------|-------|----------|
| bright nickel: | £1166 | £1399.20 |
| polished brass: | £1571 | £1885.20 |
| antique brass: | £1571 | £1885.20 |
| antique bronze: | £1571 | £1885.20 |
| antique copper: | £1571 | £1885.20 |
| polished copper: | £1571 | £1885.20 |
| brushed copper: | £1571 | £1885.20 |
| antique gold: | £1652 | £1982.40 |
| dark gold: | £1652 | £1082.40 |





It's all in the detail...

- prices inclusive of VAT are shown in green
- prices surrounded by a white box indicate stock items / other finishes: please allow 8 10 weeks
- available to order in a range of Deluxe finishes see page 154
- projection from wall to front face: 140 mm





Please note a 15% surcharge will be applied to

all prices displayed, on all

orders placed from

1st August 2021





stainless steel



PER-80-50

height: 800 mm / 32 ins length: 500 mm / 20 ins

general output: 187 watts / 638 btu

*pipe centres: 462 mm

mirror finish: £562 £674.40

supplementary heater (150 watts): DE-PACK-150: £125 £150.00



PER-120-50

height: 1200 mm / 48 ins length: 500 mm / 20 ins

general output: 269 watts / 918 btu

*pipe centres: 462 mm

mirror finish: £717 £860.40

supplementary heater (200 watts): DE-PACK-200: £125 £150.00



PER-150-50

height: 1500 mm / 60 ins length: 500 mm / 20 ins

general output: 334 watts / 1140 btu

*pipe centres: 462 mm

mirror finish: **£877** £1052.40

supplementary heater (250 watts): DE-PACK-250: £125 £150.00



PERE-80-50/F

height: 870 mm / 35 ins length: 500 mm / 20 ins general output: 150 watts

mirror finish: £616 £739.20



Electric

PERE-120-50/F

height: 1270 mm / 50 ins length: 500 mm / 20 ins

general output: 200 watts

mirror finish: £771 £925.20



PERE-150-50/F

Electric

height: 1570 mm / 62 ins length: 500 mm / 20 ins general output: 250 watts

mirror finish: £931 £1117.20

It's all in the detail...

- prices inclusive of VAT are shown in green
- prices surrounded by a white box indicate stock items
- projection from wall to front face: 78 mm 103 mm
- CTE fuel saving supplementary electric element with 5 water-temperature settings between 30°C and 60°C available in white or chrome - see page 145

Electric

Have you considered...



For pipes from wall we recommend valve set 27 see page 138.

Have you considered...



Electric models


Rails supplied as standard with non-adjustable thermostat. Please allow 100 mm beneath the rail for the flex. See page 144.



Supplementary Heater Connection

Electric DE-PACK thermostat supplied in chrome to match rail.

*pipe centres may be affected.



Please note

Straight fronted

An essential luxury, the Straight fronted towel rail will keep your towels as fresh as a daisy and as dry as a bone. The clean lines of this stylish and practical radiator look equally at home in bathrooms, kitchens and cloakrooms.



SFT-80-50

height: 796 mm / 32 ins length: 496 mm / 20 ins

general output: 418 watts / 1462 btu chrome output: 275 watts / 938 btu

*pipe centres: 458 mm

white (RAL 9016): £214 £256.80 anthracite: £268 £321.60

 colours:
 £268
 £321.60

 chrome:
 £482
 £578.40

supplementary heater (200 watts): DE-PACK-200: £125 £150.00



SFT-120-60

height: 1196 mm / 48 ins length: 596 mm / 24 ins

general output: 709 watts / 2419 btu chrome output: 467 watts / 1593 btu

*pipe centres: 558 mm

white (RAL 9016): £273 £327.60

anthracite: £341 £409.20 colours: £341 £409.20 chrome: £614 £736.80

supplementary heater (300 watts): DE-PACK-300: £125 £150.00



SFT-80-60

height: 796 mm / 32 ins length: 596 mm / 24 ins

general output: 492 watts / 1679 btu chrome output: 323 watts / 1102 btu

*pipe centres: 558 mm

white (RAL 9016): £229 £274.80 anthracite: £286 £343.20

colours: £286 £343.20 chrome: £515 £618.00

supplementary heater (250 watts): DE-PACK-250: £125 £150.00



SFT-185-50

height: 1876 mm / 74 ins length: 496 mm / 20 ins

general output: 940 watts / 3207 btu chrome output: 631 watts / 2153 btu

*pipe centres: 458 mm

white (RAL 9016): £353 £423.60

colours: £441 £529.20 chrome: £794 £952.80

supplementary heater (400 watts): DE-PACK-400: £125 £150.00



SFT-120-50

chrome:

height: 1196 mm / 48 ins length: 496 mm / 20 ins

general output: 601 watts / 2051 btu chrome output: 397 watts / 1355 btu

*pipe centres: 458 mm

white (RAL 9016): £253 £303.60

anthracite: £316 £379.20 colours: £316 £379.20

£569 £682.80

supplementary heater (250 watts): DE-PACK-250: £125 £150.00



SFT-185-60

height: 1876 mm / 74 ins length: 596 mm / 24 ins

general output: 1099 watts / 3750 btu chrome output: 742 watts / 2532 btu

*pipe centres: 558 mm

white (RAL 9016): £363 £435.60 colours: £454 £544.80

chrome: £817 £980.40

supplementary heater (500 watts): DE-PACK-500: £125 £150.00

It's all in the detail...

- prices inclusive of VAT are shown in green
- prices surrounded by a white box indicate stock items / colours: please allow 4 – 6 weeks
- projection from wall to front face: 102 mm
- CTE fuel saving supplementary electric element with 5 water-temperature settings between 30°C and 60°C available in white or chrome - see page 145

Have you considered...



For pipes from wall we recommend valve set 11 see page 141.





For pipes from floor we recommend **valve set 36** see page 141.



Supplementary Heater Connection

Electric DE-PACK thermostat supplied in white and chrome to match rail. (Colour rails supplied with chrome thermostat).

*pipe centres may be affected.

Straight fronted (Electric)

Please note
a 15% surcharge
will be applied to
all prices
displayed, on all
orders placed from
1st August 2021



SFTE-80-50/F

Electric

height: 796 mm / 32 ins length: 496 mm / 20 ins general output: 400 watts chrome output: 200 watts

+VAT

white (RAL 9016): £349 £418.80 colours: £436 £523.20 chrome: £785 £942.00



SFTE-80-60/F

Electric

height: 796 mm / 32 ins length: 596 mm / 24 ins general output: 500 watts chrome output: 200 watts

+VAT

white (RAL 9016): £364 £436.80 colours: £455 £546.00 chrome: £819 £982.80



SFTE-120-50/F

Electric

height: 1196 mm / 48 ins length: 496 mm / 20 ins general output: 600 watts chrome output: 400 watts

+VAI



SFTE-120-60/F

Electric

height: 1196 mm / 48 ins length: 596 mm / 24 ins general output: 600 watts chrome output: 400 watts

+VAT

white (RAL 9016): £408 £489.60 colours: £510 £612.00 chrome: £918 £1101.60



SFTE-185-50/F

Electric

height: 1876 mm / 74 ins length: 496 mm / 20 ins general output: 600 watts chrome output: 600 watts

+VAT



SFTE-185-60/F

Electric

height: 1876 mm / 74 ins length: 596 mm / 24 ins general output: 600 watts chrome output: 600 watts

+VA

It's all in the detail...

- prices inclusive of VAT are shown in green
- all finishes: please allow 4 6 weeks
- projection from wall to front face: 102 mm

Have you considered...




Electric models supplied as standard with non-adjustable thermostat in white or chrome finish to match rail. (Colour rails supplied with chrome thermostat).




Cable Cover SHEC
(optional extra): £56 £67.20 inc VAT

This neat chrome cover hides the cable attached to the heater.





Other finishes are



SVA-151-30

height: 1510 mm / 60 ins length: 300 mm / 12 ins output: 361 watts / 1232 btu

pipe centres: 40 mm



SVA-189-30

height: 1890 mm / 75 ins length: 300 mm / 12 ins output: 430 watts / 1467 btu

pipe centres: 40 mm

white (RAL 9016): £689 £826.80 volcanic: £689 £826.80 champagne: £689 £826.80 aluminium: £861 £1033.20 marron: £861 £1033.20 white sable: £861 £1033.20



- prices inclusive of VAT are shown in green
- please confirm if your pipework is from the floor or wall when ordering
- prices in a white box indicate stock items / aluminium, nickel, marron and white sable: please allow 6 weeks
- other finishes are available for this product via our colour matching service see page 146
- projection from wall to front face: 68 82 mm (rail adds 49 mm)

Have you considered...



A set of compact, manual valves are included with the radiator. When ordering, please specify if pipe connections are to the wall or the floor.



Thermostatic Control (optional upgrade) chrome: £25 £30.00

For improved energy efficiency, upgrade to a thermostatic head.







Arteplano

Please note
a 15% surcharge
will be applied to
all prices
displayed, on all
orders placed from
1st August 2021









It's all in the detail...

- prices inclusive of VAT are shown in pink
- prices surrounded by a white box indicate stock items / white (RAL 9010), anodised aluminium, etched brass and colours: please allow 4 – 5 weeks
- the mirror finish has a 9% reduction in output
- projection from wall to front face: 74 mm 79 mm

Have you considered...



Optional stainless steel towel rail available with vertical models.

General Purpose Radiators

Arteplano

bespoke sizes available

Please note
a 15% surcharge
will be applied to
all prices
displayed, on all
orders placed from
1st August 2021







VJ-56-100

height: 601 mm / 24 ins length: 1013 mm / 40 ins output: 591 watts / 2016 btu

pipe centres: length plus valves

| | | +VAT |
|---------------------|-------|----------|
| white (RAL 9010): | £720 | £864.00 |
| anodised aluminium: | £1044 | £1252.80 |
| etched brass: | £1836 | £2203.20 |
| etched copper: | £1836 | £2203.20 |
| mirror: | £1368 | £1641.60 |
| brushed bronze: | £1044 | £1252.80 |
| brushed black: | £1044 | £1252.80 |
| colours: | £900 | £1080.00 |

VJ-56-120

height: 601 mm / 24 ins length: 1213 mm / 48 ins output: 709 watts / 2419 btu

pipe centres: length plus valves

| | | +VAT |
|--------------------|----------|----------|
| white (RAL 9010): | £788 | £945.60 |
| anodised aluminiur | n: £1143 | £1371.60 |
| etched brass: | £2009 | £2410.80 |
| etched copper: | £2009 | £2410.80 |
| mirror: | £1497 | £1796.40 |
| brushed bronze: | £1143 | £1371.60 |
| brushed black: | £1143 | £1371.60 |
| colours: | £985 | £1182.00 |

VJ-56-140

height: 601 mm / 24 ins length: 1413 mm / 56 ins output: 827 watts / 2822 btu

pipe centres: length plus valves

| | | +VAT |
|---------------------|-------|----------|
| white (RAL 9010): | £857 | £1028.40 |
| anodised aluminium: | £1242 | £1490.40 |
| etched brass: | £2185 | £2622.00 |
| etched copper: | £2185 | £2622.00 |
| mirror: | £1628 | £1953.60 |
| brushed bronze: | £1242 | £1490.40 |
| brushed black: | £1242 | £1490.40 |
| colours: | £1071 | £1285.20 |



It's all in the detail...

- prices inclusive of VAT are shown in pink
- prices surrounded by a white box indicate stock items / white (RAL 9010), anodised aluminium, etched brass, etched copper and colours: please allow 4 – 5 weeks
- the mirror finish has a 9% reduction in output
- projection from wall to front face: 74 mm 79 mm

Have you considered...



For pipes from wall we recommend valve set 11 for vertical models. It is available in a complementary brass or copper finish, see page 141.


Have you considered...



For pipes from wall we recommend **valve set 10** for horizontal models. It is available in a complementary brass or copper finish, see page 141.











The Blok is available to order in four elegant finishes: champagne, marron, nickel and white sable







aluminium



BLA-60-66

height: 590 mm / 24 ins length: 655 mm / 26 ins output: 593 watts / 2023 btu

pipe centres: length plus valves

+VAT

 white (RAL 9010):
 £567
 £680.40

 volcanic:
 £567
 £680.40

 aluminium:
 £709
 £850.80

 champagne:
 £709
 £850.80

 nickel look:
 £709
 £850.80

 marron:
 £709
 £850.80

 white sable:
 £709
 £850.80



BLA-60-82

height: 590 mm / 24 ins length: 819 mm / 33 ins output: 741 watts / 2528 btu

pipe centres: length plus valves

+VAT

white (RAL 9010): £708 £849.60
volcanic: £708 £849.60
aluminium: £885 £1062.00
champagne: £885 £1062.00
nickel look: £885 £1062.00
marron: £885 £1062.00
white sable: £885 £1062.00



BLA-60-99

height: 590 mm / 24 ins length: 984 mm / 39 ins output: 890 watts / 3037 btu

pipe centres: length plus valves

+VAT

 white (RAL 9010):
 £797
 £956.40

 volcanic:
 £797
 £956.40

 aluminium:
 £996
 £1195.20

 champagne:
 £996
 £1195.20

 nickel look:
 £996
 £1195.20

 marron:
 £996
 £1195.20

 white sable:
 £996
 £1195.20



BLA-60-115

height: 590 mm / 24 ins length: 1148 mm / 46 ins output: 1038 watts / 3542 btu

pipe centres: length plus valves

+VAT

white (RAL 9010): £916 £1099.20 volcanic: £916 £1099.20 aluminium: £1145 £1374.00 champagne: £1145 £1374.00 marron: £1145 £1374.00 white sable: £1145 £1374.00



It's all in the detail...

- prices inclusive of VAT are shown in pink
- prices surrounded by a white box indicate stock items / aluminium, champagne, nickel, marron and white sable: please allow 4 – 6 weeks
- other finishes are available for this product via our colour matching service see page 146
- projection from wall to front face: 80 mm
- all models have side connections

Have you considered...



For pipes from floor we recommend valve set 37 see page 141.

aluminium

BLA-160-33

height: 1590 mm / 63 ins length: 327 mm / 13 ins output: 675 watts / 2303 btu

pipe centres: length plus valves



BLA-190-33

height: 1890 mm / 75 ins length: 327 mm / 13 ins output: 789 watts / 2692 btu

pipe centres: length plus valves

| | | +VAT |
|-------------------|------|---------|
| white (RAL 9010): | £533 | £639.60 |
| volcanic: | £533 | £639.60 |
| aluminium: | £666 | £799.20 |
| champagne: | £666 | £799.20 |
| nickel look: | £666 | £799.20 |
| marron: | £666 | £799.20 |
| white sable: | £666 | £799.20 |



BLA-160-50

height: 1590 mm / 63 ins length: 491 mm / 20 ins output: 1012 watts / 3453 btu

pipe centres: length plus valves

white (RAL 9010): £668 £801.60
volcanic: £668 £801.60
aluminium: £835 £1002.00
champagne: £835 £1002.00
nickel look: £835 £1002.00
marron: £835 £1002.00
white sable: £835 £1002.00



BLA-190-50

height: 1890 mm / 75 ins length: 491 mm / 20 ins output: 1184 watts / 4040 btu

pipe centres: length plus valves

white (RAL 9010): £721 £865.20
volcanic: £721 £865.20
aluminium: £901 £1081.20
champagne: £901 £1081.20
nickel look: £901 £1081.20
marron: £901 £1081.20
white sable: £901 £1081.20



BLA-190-66

height: 1890 mm / 75 ins length: 655 mm / 26 ins output: 1578 watts / 5384 btu

pipe centres: length plus valves

 white (RAL 9010):
 £932
 ±VAT

 volcanic:
 £932
 £1118.40

 volcanic:
 £932
 £1185.40

 aluminium:
 £1165
 £1398.00

 champagne:
 £1165
 £1398.00

 nickel look:
 £1165
 £1398.00

 marron:
 £1165
 £1398.00

 white sable:
 £1165
 £1398.00

It's all in the detail...


- prices inclusive of VAT are shown in pink
- prices surrounded by a white box indicate stock items / aluminium, champagne, nickel, marron and white sable: please allow 4 – 6 weeks
- projection from wall to front face: 80 mm
- all models have side connections

Have you considered...



For pipes from wall we recommend valve set 10 see page 141.





Classic

We stock a significant range of sizes and finishes of this versatile radiator but there are many additional made-to-order options available, from fabulous colours to bespoke curved and angled models for bay windows. Made to measure orders for curved or angled radiators require a technical drawing to be approved and signed by the customer. Please allow at least 8 weeks for delivery from receipt of written confirmation of technical drawings or template.

Further details can be found on our website or by contacting our customer services team.



With over 2000 bespoke sizes and a unique colour matching service (see p146) we can help you find the perfect fit for your home.





bespoke sizes available









2W-75-37

height: 742 mm / 30 ins length: 394 mm / 16 ins depth: 62 mm / 3 ins output: 440 watts / 1501 btu

pipe centres: 326 mm
white (RAL 9010): £322 £386.40
anthracite finish: £382 £458.40
*bare metal: £382 £458.40
colours: £382 £458.40

2W-75-46

height: 742 mm / 30 ins length: 486 mm / 20 ins depth: 62 mm / 3 ins output: 550 watts / 1877 btu

2W-75-55

height: 742 mm / 30 ins length: 578 mm / 23 ins depth: 62 mm / 3 ins output: 660 watts / 2252 btu

2W-75-64

height: 742 mm / 30 ins length: 670 mm / 27 ins depth: 62 mm / 3 ins output: 770 watts / 2627 btu


 pipe centres: 602 mm
 *VAT

 white (RAL 9010): Σ501
 £601.20

 anthracite finish: £606
 £727.20


 *bare metal:
 £606
 £727.20

 colours:
 £606
 £727.20



- * the lacquered bare metal finish will vary, see page 148
- prices inclusive of VAT are shown in pink
- prices surrounded by a white box indicate stock items / colours: please allow 4 6 weeks
- wall mounted 2W models have underside connections
- projection from wall to front face: 90 mm

bespoke sizes available



2W-180-28

height: 1792 mm / 71 ins length: 302 mm / 12 ins depth: 62 mm / 3 ins

output: 744 watts / 2539 btu

pipe centres: 234 mm

white (RAL 9010): £454 £544.80 anthracite finish: £547 £656.40 £547 £656.40 *bare metal:

colours:

£547 £656.40



2W-180-37


height: 1792 mm / 71 ins length: 394 mm / 16 ins depth: 62 mm / 3 ins output: 992 watts / 3385 btu

pipe centres: 326 mm

white (RAL 9010): £578 £693.60 anthracite finish: £702 £842.40 £702 £842.40 *bare metal:

colours:

£702 £842.40



2W-180-46

height: 1792 mm / 71 ins length: 486 mm / 20 ins depth: 62 mm / 3 ins


output: 1240 watts / 4231 btu

pipe centres: 418 mm

white (RAL 9010): £702 £842.40 anthracite finish: £857 £1028.40 *bare metal: £857 £1028.40

colours:

£857 £1028.40



2W-180-55

height: 1792 mm / 71 ins length: 578 mm / 23 ins depth: 62 mm / 3 ins

output: 1488 watts / 5077 btu

pipe centres: 510 mm

white (RAL 9010): £825 £990.00 anthracite finish: £1011 £1213.20 £1011 £1213.20

*bare metal:

colours:

£1011 £1213.20

It's all in the detail...

- * the lacquered bare metal finish will vary, see page 148
- prices inclusive of VAT are shown in pink
- prices surrounded by a white box indicate stock items / colours: please allow 4 - 6 weeks
- wall mounted 2W models have underside connections
- projection from wall to front face: 90 mm

Have you considered...



For pipes from wall we recommend valve set 11 see page 141.


Have you considered...



For pipes from floor we recommend valve set 36 see page 141.



These rectangular rails can be used as an alternative to the standard Classic towel rail. They are designed to be cut to length before installation



bespoke sizes available



4F-30-46

height: 375 mm / 15 ins length: 486 mm / 20 ins depth: 136 mm / 6 ins output: 419 watts / 1430 btu

pipe centres: length plus valves

| | +VAT |
|------|--------------|
| £441 | £529.20 |
| £551 | £661.20 |
| £551 | £661.20 |
| £551 | £661.20 |
| | £551 £551 |



4F-30-74

height: 375 mm / 15 ins length: 762 mm / 30 ins depth: 136 mm / 6 ins output: 670 watts / 2286 btu

pipe centres: length plus valves

| | | +VAT |
|--------------------|------|---------|
| white (RAL 9010): | | |
| anthracite finish: | £793 | £951.60 |
| *bare metal: | £793 | £951.60 |
| colours: | £793 | £951.60 |
| | | |



4F-30-92

height: 375 mm / 15 ins length: 946 mm / 38 ins depth: 136 mm / 6 ins output: 838 watts / 2859 btu

pipe centres: length plus valves

| | | +VAT |
|--------------------|------|----------|
| white (RAL 9010): | £762 | £914.40 |
| anthracite finish: | £953 | £1143.60 |
| *bare metal: | £953 | £1143.60 |
| colours: | £953 | £1143 60 |



4F-30-110

height: 375 mm / 15 ins length: 1130 mm / 45 ins depth: 136 mm / 6 ins

output: 1006 watts / 3432 btu

pipe centres: length plus valves

white (RAL 9010): £891 £1069.20 anthracite finish: £1114 £1336.80 *bare metal: £1114 £1336.80 colours: £1114 £1336.80



4F-40-69

height: 475 mm / 19 ins length: 716 mm / 29 ins depth: 136 mm / 6 ins output: 824 watts / 2811 btu

pipe centres: length plus valves

white (RAL 9010): £638 2765.60
anthracite finish: £798 2957.60
*bare metal: £798 2957.60
colours: £798 2957.60



4F-40-92

height: 475 mm / 19 ins length: 946 mm / 38 ins depth: 136 mm / 6 ins output: 1098 watts / 3746 btu

pipe centres: length plus valves

white (RAL 9010): £810 £972.00
anthracite finish: £1013 £1215.60
*bare metal: £1013 £1215.60
colours: £1013 £1215.60



4F-40-110

height: 475 mm / 19 ins length: 1130 mm / 45 ins depth: 136 mm / 6 ins output: 1318 watts / 4497 btu

pipe centres: length plus valves



4F-40-138

height: 475 mm / 19 ins length: 1406 mm / 56 ins depth: 136 mm / 6 ins output: 1647 watts / 5620 btu

pipe centres: length plus valves

white (RAL 9010): £1156 £1387.20 anthracite finish: £1445 £1734.00 *bare metal: £1445 £1734.00 colours: £1445 £1734.00

- * the lacquered bare metal finish will vary, see page 148
- prices inclusive of VAT are shown in pink
- floor mounted models have side connections
- prices surrounded by a white box indicate stock items / colours: please allow 4 6 weeks



4F-50-55

height: 575 mm / 23 ins length: 578 mm / 23 ins depth: 136 mm / 6 ins output: 811 watts / 2767 btu

pipe centres: length plus valves

white (RAL 9010): £558 £669.60
anthracite finish: £698 £837.60
*bare metal: £698 £837.60
colours: £698 £837.60



4F-50-64

colours:

height: 575 mm / 23 ins length: 670 mm / 27 ins depth: 136 mm / 6 ins output: 946 watts / 3228 btu

pipe centres: length plus valves

white (RAL 9010): £631 £757.20
anthracite finish: £789 £946.80
*bare metal: £789 £946.80

£789 £946.80



4F-50-74

height: 575 mm / 23 ins length: 762 mm / 30 ins depth: 136 mm / 6 ins

output: 1082 watts / 3692 btu

pipe centres: length plus valves

white (RAL 9010): £704 £844.80 anthracite finish: £880 £1056.00 *bare metal: £880 £1056.00 colours: £880 £1056.00



4F-50-92

height: 575 mm / 23 ins length: 946 mm / 38 ins depth: 136 mm / 6 ins

output: 1352 watts / 4613 btu

pipe centres: length plus valves

white (RAL 9010): £850 £1020.00 anthracite finish: £1063 £1275.60

*bare metal: £1063 £1275.60 colours: £1063 £1275.60



Have you considered...



For pipes from floor we recommend valve set 37 see page 141.



For pipes from wall we recommend valve set 10 see page 141.

bespoke sizes available





4F-50-110

height: 575 mm / 23 ins length: 1130 mm / 45 ins depth: 136 mm / 6 ins output: 1622 watts / 5534 btu pipe centres: length plus valves

*bare metal: £1245 £1494.00 *bare metal: £1245 £1494.00 colours: colours:

4F-50-129

height: 575 mm / 23 ins length: 1314 mm / 52 ins depth: 136 mm / 6 ins output: 1893 watts / 6459 btu pipe centres: length plus valves

white (RAL 9010): £996 £1195.20 white (RAL 9010): £1142 £1370.40 white (RAL 9010): £512 £614.40 anthracite finish: £1245 £1494.00 anthracite finish: £1428 £1713.60 anthracite finish: £640 £768.00 £1428 £1713.60 *bare metal: £1428 £1713.60 colours:

4F-60-46

height: 675 mm / 27 ins length: 486 mm / 20 ins depth: 136 mm / 6 ins output: 798 watts / 2723 btu

pipe centres: length plus valves

£640 £768.00 £640 £768.00

4F-60-64

height: 675 mm / 27 ins length: 670 mm / 27 ins depth: 136 mm / 6 ins output: 1117 watts / 3811 btu

pipe centres: length plus valves

+VAT white (RAL 9010): £670 £804.00 £838 £1005.60 anthracite finish: £838 £1005.60 *bare metal: £838 £1005.60 colours:



4F-60-83

height: 675 mm / 27 ins length: 854 mm / 34 ins depth: 136 mm / 6 ins output: 1436 watts / 4900 btu

pipe centres: length plus valves

white (RAL 9010): £827 £992.40 anthracite finish: £1034 £1240.80 *bare metal: £1034 £1240.80 colours: £1034 £1240.80




4F-60-101

height: 675 mm / 27 ins length: 1038 mm / 41 ins depth: 136 mm / 6 ins

output: 1756 watts / 5991 btu

pipe centres: length plus valves

white (RAL 9010): £984 anthracite finish: £1230 £1476.00 *bare metal: £1230 £1476.00 colours: £1230 £1476.00



4F-60-120

height: 675 mm / 27 ins length: 1222 mm / 49 ins depth: 136 mm / 6 ins

output: 2075 watts / 7080 btu

pipe centres: length plus valves

white (RAL 9010): £1142 £1370.40 anthracite finish: £1428 £1713.60 £1428 £1713.60 *bare metal: colours: £1428 £1713.60

- * the lacquered bare metal finish will vary, see page 148
- prices inclusive of VAT are shown in pink
- floor mounted models have side connections
- prices surrounded by a white box indicate stock items / volcanic and colours: please allow 4 6 weeks

Have you considered...



1st August 2021

For pipes from floor we recommend valve set 37 see page 141.



For pipes from wall we recommend valve set 10 see page 141.



bespoke sizes available

Please note
a 15% surcharge
will be applied to
all prices
displayed, on all
orders placed from
1st August 2021



4F-75-55

height: 825 mm / 33 ins length: 578 mm / 23 ins depth: 136 mm / 6 ins

output: 1169 watts / 3989 btu

pipe centres: length plus valves



4F-75-64

height: 825 mm / 33 ins length: 670 mm / 27 ins depth: 136 mm / 6 ins

output: 1364 watts / 4654 btu

pipe centres: length plus valves

white (RAL 9010): £754 £904.80 anthracite finish: £943 £1131.60 *bare metal: £943 £1131.60 colours: £943 £1131.60



4F-75-74

height: 825 mm / 33 ins length: 762 mm / 30 ins depth: 136 mm / 6 ins output: 1558 watts / 5316 btu

pipe centres: length plus valves

+VAT

white (RAL 9010): £845 £1014.00 anthracite finish: £1056 £1267.20 *bare metal: £1056 £1267.20 colours: £1056 £1267.20



6F-40-138

height: 475 mm / 19 ins length: 1406 mm / 56 ins depth: 210 mm / 9 ins output: 2415 watts / 8240 btu

pipe centres: length plus valves

white (RAL 9010): £1531 £1837.20 anthracite finish: £1914 £2296.80 *bare metal: £1914 £2296.80 £1914 £2296.80

- * the lacquered bare metal finish will vary, see page 148
- prices inclusive of VAT are shown in pink
- floor mounted models have side connections
- prices surrounded by a white box indicate stock items / colours: please allow 4 6 weeks



Have you considered...



For pipes from floor we recommend valve set 37 see page 141.



For pipes from wall we recommend valve set 10 see page 141.





4FE-40-55/GF Electric

height: 475 mm / 19 ins length: 594 mm / 24 ins depth: 136 mm / 6 ins output: 750 watts

white (RAL 9010): £780 £936.00
anthracite finish: £897 £1076.40
*bare metal: £975 £1170.00
colours: £975 £1170.00



4FE-40-74/GF Electric

height: 475 mm / 19 ins length: 778 mm / 31 ins depth: 136 mm / 6 ins output: 1000 watts

white (RAL 9010): £949 £1138.80 anthracite finish: £1091 £1309.20 *bare metal: £1186 £1423.20 colours: £1186 £1423.20



4FE-40-92/GF Electric

height: 475 mm / 19 ins length: 962 mm / 38 ins depth: 136 mm / 6 ins output: 1250 watts

 white (RAL 9010): £1118
 £1341.60

 anthracite finish:
 £1286
 £1543.20

 *bare metal:
 £1398
 £1677.60

 colours:
 £1398
 £1677.60



4FE-40-106/GF Electric

height: 475 mm / 19 ins length: 1000 mm / 40 ins depth: 136 mm / 6 ins output: 1500 watts

white (RAL 9010): £1246 £1495.20
anthracite finish: £1433 £1719.60
*bare metal: £1558 £1896.60
colours: £1558 £1896.60



4FE-50-46/GF Electric

height: 575 mm / 23 ins length: 502 mm / 20 ins depth: 136 mm / 6 ins output: 750 watts

white (RAL 9010): £718 £861.60 anthracite finish: £826 £991.20 *bare metal: £898 £1077.60 colours: £898 £1077.60



4FE-50-64/GF Electric

height: 575 mm / 23 ins length: 686 mm / 28 ins depth: 136 mm / 6 ins output: 1000 watts

white (RAL 9010): £897 £1076.40 anthracite finish: £1032 £1238.40 *bare metal: £1121 £1345.20 colours: £1121 £1345.20

- * the lacquered bare metal finish will vary, see page 148
- prices inclusive of VAT are shown in pink
- all finishes: please allow 4 6 weeks
- compliant with new 2018 Eco Design requirements

Have you considered...



The radiator is operated by a wireless, digital remote controller (wall mountable) with easy-to-use programs.

The controller communicates with a receiver discretely mounted on the back of the Classic and colour matched to the radiator. Further details can be found on our website.





4FE-50-74/GF Electric

height: 575 mm / 23 ins length: 778 mm / 31 ins depth: 136 mm / 6 ins output: 1250 watts

white (RAL 9010): £986 £1183.20 anthracite finish: £1134 £1360.80 *bare metal: £1233 £1479.60 colours: £1233 £1479.60



Electric

4FE-50-87/GF

height: 575 mm / 23 ins length: 916 mm / 37 ins depth: 136 mm / 6 ins

output: 1500 watts

white (RAL 9010): £1120 £1344.00
anthracite finish: £1288 £1545.60
*bare metal: £1400 £1680.00
colours: £1400 £1680.00



4FE-60-41/GF

Electric

height: 675 mm / 27 ins length: 456 mm / 18 ins depth: 136 mm / 6 ins output: 750 watts

white (RAL 9010): £701 £841.20 anthracite finish: £806 £967.20 *bare metal: £876 £1051.20 colours: £876 £1051.20



4FE-60-55/GF Electric

height: 675 mm / 27 ins length: 594 mm / 24 ins depth: 136 mm / 6 ins output: 1000 watts

*bare metal: £1054 £1264.80

colours: +VAT

*VAT

*£1011.60

£1162.80

£1162.80

£1054 £1264.80

£1054 £1264.80



4FE-60-74/GF Electric

height: 675 mm / 27 ins length: 778 mm / 31 ins depth: 136 mm / 6 ins

 output: 1250 watts

 white (RAL 9010): \$1033
 \$1239.60

 anthracite finish: \$1188
 \$1425.60

 *bare metal: \$1291
 \$1549.20

 colours: \$1291
 \$1549.20



4FE-60-87/GF

Electric

height: 675 mm / 27 ins length: 916 mm / 37 ins depth: 136 mm / 6 ins output: 1500 watts

 white (RAL 9010): £1177
 £1412.40

 anthracite finish: £1354
 £1624.80

 *bare metal: £1471
 £1765.20

 colours: £1471
 £1765.20

- * the lacquered bare metal finish will vary, see page 148
- prices inclusive of VAT are shown in pink
- all finishes: please allow 4 6 weeks
- compliant with new 2018 Eco Design requirements



Have you considered...



The radiator is operated by a wireless, digital remote controller (wall mountable) with easy-to-use programs.

The controller communicates with a receiver discretely mounted on the back of the Classic and colour matched to the radiator. Further details can be found on our website.





Decorative panel

Please note
a 15% surcharge
will be applied to
all prices
displayed, on all
orders placed from
1st August 2021

bespoke sizes available



DH-50-60

height: 507 mm / 20 ins length: 600 mm / 24 ins output: 534 watts / 1822 btu

pipe centres: length plus valves

white (RAL 9010): £501 £601.20 colours: £626 £751.20



DH-50-80

height: 507 mm / 20 ins length: 800 mm / 32 ins output: 712 watts / 2429 btu

pipe centres: length plus valves

white (RAL 9010): £565 £678.00 colours: £706 £847.20



DH-50-100

height: 507 mm / 20 ins length: 1000 mm / 40 ins output: 889 watts / 3033 btu

pipe centres: length plus valves

white (RAL 9010): £629 £754.80 colours: £78€



DH-50-120

height: 507 mm / 20 ins length: 1200 mm / 48 ins output: 1067 watts / 3641 btu pipe centres: length plus valves

+VAT white (RAL 9010): £693 £831.60 colours: £866 £1039.20



DH-50-150

height: 507 mm / 20 ins length: 1500 mm / 60 ins output: 1335 watts / 4555 btu pipe centres: length plus valves

white (RAL 9010): £788 £945.60 colours: £985 £1182.00



DH-57-60

colours:

height: 578 mm / 23 ins length: 600 mm / 24 ins output: 614 watts / 2095 btu pipe centres: length plus valves

+VAT white (RAL 9010): £538 £645.60

£673 £807.60



DH-57-80

height: 578 mm / 23 ins length: 800 mm / 32 ins output: 794 watts / 2709 btu

pipe centres: length plus valves

white (RAL 9010): £608 £729.60 colours: £760 £912.00

- prices inclusive of VAT are shown in pink
- prices surrounded by a white box indicate stock items / colours: please allow 4 6 weeks
- projection from wall to front face: 89 mm



DH-57-100

height: 578 mm / 23 ins length: 1000 mm / 40 ins output: 1024 watts / 3494 btu pipe centres: length plus valves

white (RAL 9010): £678 £813.60 colours: £848 £1017.60



DH-57-120

height: 578 mm / 23 ins length: 1200 mm / 48 ins output: 1192 watts / 4067 btu pipe centres: length plus valves

white (RAL 9010): £748 £897.60 colours: £935 £1122.00



DH-57-150

height: 578 mm / 23 ins length: 1500 mm / 60 ins output: 1490 watts / 5084 btu pipe centres: length plus valves

white (RAL 9010): £853 £1023.60 colours: £1066 £1279.20



Have you considered...



For pipes from wall we recommend valve set 10 see page 141.



For pipes from floor we recommend valve set 37 see page 141.

Decorative panel

Please note a 15% surcharge will be applied to all prices displayed, on all orders placed from 1st August 2021

bespoke sizes available



DVL-80-28

height: 800 mm / 32 ins length: 283 mm / 12 ins output: 352 watts / 1201 btu

pipe centres: 243 mm white (RAL 9010): £469 £562.80 £586 £703.20 colours:



DVL-80-42

height: 800 mm / 32 ins length: 425 mm / 17 ins output: 528 watts / 1802 btu

pipe centres: 385 mm white (RAL 9010): £567 £680.40 colours: £709 £850.80



DVL-180-28

height: 1800 mm / 71 ins length: 283 mm / 12 ins output: 676 watts / 2307 btu

pipe centres: 243 mm

white (RAL 9010): £660 £792.00 colours: £825 £990.00



DVL-180-35

height: 1800 mm / 71 ins length: 354 mm / 14 ins output: 845 watts / 2883 btu

pipe centres: 314 mm white (RAL 9010): £747 £896.40 colours: £934 £1120.80



DVL-180-42

height: 1800 mm / 71 ins length: 425 mm / 17 ins output: 1014 watts / 3460 btu

pipe centres: 385 mm white (RAL 9010): £834 £1000.80 colours: £1043 £1251.60



DVL-180-50

colours:

height: 1800 mm / 71 ins length: 496 mm / 20 ins output: 1183 watts / 4036 btu

pipe centres: 456 mm

white (RAL 9010): £921 £1151 £1381.20

- prices inclusive of VAT are shown in pink
- prices surrounded by a white box indicate stock items / colours: please allow 4 6 weeks
- projection from wall to front face: 74 mm


Have you considered...



For pipes from wall we recommend valve set 11 see page 141.







Finn

Have you considered...



For horizontal models with pipes from floor we recommend valve set 37 see page 141.



For vertical models with pipes from wall we recommend **valve set 11** see page 141.

Please note a 15% surcharge

will be applied to all prices displayed, on all orders placed from


1st August 2021






bespoke sizes available









FN-60-77

height: 600 mm / 24 ins length: 775 mm / 31 ins output: 838 watts / 2859 btu

pipe centres: length plus valves

white (RAL 9010): £475 £570.00 colours: £594 £712.80

FN-60-98

height: 600 mm / 24 ins length: 985 mm / 39 ins output: 1067 watts / 3641 btu

pipe centres: length plus valves

white (RAL 9010): £573 £687.60 £716 £859.20

FN-60-119

height: 600 mm / 24 ins length: 1195 mm / 47 ins output: 1295 watts / 4419 btu

pipe centres: length plus valves


white (RAL 9010): £670 £804.00 £838 £1005.60

FN-60-140

height: 600 mm / 24 ins length: 1405 mm / 55 ins output: 1524 watts / 5200 btu

pipe centres: length plus valves

white (RAL 9010): £767 £920.40 colours: £959 £1150.80



FN-180-28

height: 1800 mm / 71 ins length: 285 mm / 11 ins output: 832 watts / 2839 btu

pipe centres: 210 mm

white (RAL 9010): £426 £511.20 colours: £533 £639.60



FN-180-35

height: 1800 mm / 71 ins length: 355 mm / 14 ins output: 1040 watts / 3548 btu

pipe centres: 280 mm

white (RAL 9010): £503 £603.60 colours: £629 £754.80



FN-180-42

height: 1800 mm / 71 ins length: 425 mm / 17 ins output: 1248 watts / 4258 btu

pipe centres: 350 mm

white (RAL 9010): £580 £696.00 colours: £725 £870.00

It's all in the detail...

- prices inclusive of VAT are shown in pink
- prices surrounded by a white box indicate stock items / colours: please allow 4 6 weeks
- projection from wall to front face: 130 mm
- element depth: 70 mm





small diameter



FF-100

height: 130 mm / 6 ins length: 1000 mm / 40 ins diameter: 88 mm / 4 ins output: 246 watts / 839 btu

pipe centres: length plus valves

+VAT

white (RAL 9010): £336 £403.20 colours: £420 £504.00

large diameter



FF-150

height: 130 mm / 6 ins length: 1500 mm / 60 ins diameter: 88 mm / 4 ins output: 361 watts / 1232 btu

pipe centres: length plus valves

+VAT

white (RAL 9010): £413 £495.60 colours: £516 £619.20



FF-200

height: 130 mm / 6 ins length: 2000 mm / 79 ins diameter: 88 mm / 4 ins output: 498 watts / 1699 btu

pipe centres: length plus valves

+VA⁻

white (RAL 9010): £502 £602.40 colours: £628 £753.60



XFF-100

height: 190 mm / 8 ins length: 1000 mm / 40 ins diameter: 133 mm / 6 ins

general output: 370 watts / 1262 btu chrome output: 346 watts / 1180 btu

pipe centres: length plus valves

+VAT

 white (RAL 9010):
 £492
 £590.40

 colours:
 £615
 £738.00

 chrome:
 £861
 £1033.20



XFF-150

height: 190 mm / 8 ins length: 1500 mm / 40 ins diameter: 133 mm / 6 ins

general output: 565 watts / 1928 btu chrome output: 513 watts / 1749 btu

pipe centres: length plus valves

+VA

white (RAL 9010): £591 £709.20 colours: £739 £886.60 chrome: £1034 £1240.80



XFF-200

height: 190 mm / 8 ins length: 2000 mm / 79 ins diameter: 133 mm / 6 ins

general output: 797 watts / 2719 btu chrome output: 706 watts / 2407 btu

pipe centres: length plus valves

+VAT

white (RAL 9010): £692 £830.40 colours: £865 £1038.00 chrome: £1211 £1453.20

It's all in the detail...

- prices inclusive of VAT are shown in pink
- prices surrounded by a white box indicate stock items / colours: please allow 5 6 weeks
- this radiator may only be installed horizontally on the floor

Have you considered...




For pipes from floor we recommend valve set 27 see page 138.




For pipes from wall we recommend valve set 28 see page 139.







The Lissett is available from stock in white (RAL 9010) and volcanic but can be ordered in a range of finishes. Other colours are available via our colour matching service (see page 146)



aluminium



LI-60-80

height: 590 mm / 24 ins length: 804 mm / 32 ins output: 624 watts / 2128 btu

pipe centres: length plus valves

+VAI

 white (RAL 9010):
 £534
 £640.80

 volcanic:
 £534
 £640.80

 aluminium:
 £668
 £801.60

 champagne:
 £668
 £801.60

 nickel look:
 £668
 £801.60

 marron:
 £668
 £801.60

 white sable:
 £668
 £801.60



LI-60-100

height: 590 mm / 24 ins length: 1006 mm / 40 ins output: 780 watts / 2661 btu

pipe centres: length plus valves

 white (RAL 9010):
 £659
 £790.80

 volcanic:
 £659
 £790.80

 aluminium:
 £824
 £988.80

 champagne:
 £824
 £988.80

 nickel look:
 £824
 £988.80

 marron:
 £824
 £988.80

 white sable:
 £824
 £988.80



LI-60-120

height: 590 mm / 24 ins length: 1207 mm / 48 ins output: 936 watts / 3193 btu

pipe centres: length plus valves

white (RAL 9010): £789 £946.80 volcanic: £789 £946.80 aluminium: £986 £1183.20 champagne: £986 £1183.20 nickel look: £986 £1183.20 white sable: £986 £1183.20



LI-60-140

height: 590 mm / 24 ins length: 1409 mm / 56 ins output: 1092 watts / 3725 btu

pipe centres: length plus valves

+VAT

 white (RAL 9010): £924
 £1108.80

 volcanic:
 £924
 £1108.80

 aluminium:
 £1155
 £1386.00

 champagne:
 £1155
 £1386.00

 nickel look:
 £1155
 £1386.00

 marron:
 £1155
 £1386.00

 white sable:
 £1155
 £1386.00



It's all in the detail...

- prices inclusive of VAT are shown in pink
- prices surrounded by a white box indicate stock items /champagne, nickel, marron and white sable: please allow 4 – 6 weeks
- other finishes are available for this product via our colour matching service see page 146
- projection from wall to front face: 69 82 mm

Have you considered...



For pipes from floor we recommend valve set 37 see page 141.



For pipes from wall we recommend valve set 10 see page 141.

LI-190-40

aluminium

height: 1890 mm / 74 ins length: 401 mm / 16 ins output: 853 watts / 2911 btu

 pipe centres: 201 mm
 +VAT

 white (RAL 9010): £554
 £664.80

 volcanic: £554
 £664.80

 aluminium: £693
 £831.60

 champagne: £693
 £831.60

 nickel look: £693
 £831.60

 marron: £693
 £831.60

 white sable: £693
 £831.60



LI-190-60

height: 1890 mm / 74 ins length: 603 mm / 24 ins output: 1289 watts / 4398 btu

pipe centres: 403 mm

white (RAL 9010): £730 \$876.00

volcanic: £730 \$876.00

aluminium: £913 \$1095.60

champagne: £913 \$1095.60

nickel look: £913 \$1095.60

marron: £913 \$1095.60

white sable: £913 \$1095.60

It's all in the detail...

- prices inclusive of VAT are shown in pink
- prices surrounded by a white box indicate stock items /champagne, nickel, marron and white sable: please allow 4 – 6 weeks
- other finishes are available for this product via our colour matching service see page 146
- projection from wall to front face: 69 82 mm



Have you considered...




For pipes from floor we recommend **valve set 36** see page 141.



For pipes from wall we recommend **valve set 11** see page 141.









TRB-60-80

colours:

height: 600 mm / 24 ins length: 792 mm / 31 ins output: 561 watts / 1914 btu

pipe centres: length plus valves

+VAT

£390 £468.00

white (RAL 9010): £312 £374.40 volcanic: £390 £468.00



TRB-60-100

colours:


height: 600 mm / 24 ins length: 990 mm / 39 ins output: 702 watts / 2395 btu

pipe centres: length plus valves

+VAT

£430 £516.00

white (RAL 9010): £344 £412.80 volcanic: £430 £516.00



TRB-60-120

height: 600 mm / 24 ins length: 1188 mm / 47 ins output: 842 watts / 2873 btu

pipe centres: length plus valves

+VAT



TRBD-60-80

height: 600 mm / 24 ins length: 792 mm / 31 ins output: 904 watts / 3084 btu

pipe centres: length plus valves

+VAT

 white (RAL 9010): £545
 £654.00

 volcanic:
 £681
 £817.20

 colours:
 £681
 £817.20




TRBD-60-100

height: 600 mm / 24 ins length: 990 mm / 39 ins output: 1110 watts / 3787 btu

pipe centres: length plus valves

+VAT



TRBD-60-120

height: 600 mm / 24 ins length: 1188 mm / 47 ins output: 1131 watts / 3859 btu

pipe centres: length plus valves

+VAT

It's all in the detail...

- prices inclusive of VAT are shown in pink
- prices surrounded by a white box indicate stock items / other listed finishes: please allow 6 weeks
- projection from wall to front face: single tube 74 mm; double tube 91 mm

Have you considered...




For pipes from wall we recommend **valve set 10** see page 141.



For pipes from wall or from the floor we recommend valve set 37 see page 141.





TRB-180-30

height: 1800 mm / 71 ins length: 330 mm / 13 ins output: 684 watts / 2334 btu pipe centres: 264 mm

+VAT

white (RAL 9010): £282 £338.40 volcanic: £353 £423.60 colours: £353 £423.60

TRB-180-40

height: 1800 mm / 71 ins length: 396 mm / 16 ins output: 820 watts / 2798 btu pipe centres: 330 mm

+VAT


white (RAL 9010): £347 £416.40 volcanic: £434 £520.80 colours: £434 £520.80

TRB-180-50

height: 1800 mm / 71 ins length: 462 mm / 19 ins output: 957 watts / 3265 btu pipe centres: 396 mm

+VAT

white (RAL 9010): £408 £489.60 volcanic: £510 £612.00 colours: £510 £612.00




TRBD-180-30

height: 1800 mm / 71 ins length: 330 mm / 13 ins output: 996 watts / 3398 btu pipe centres: 264 mm

. .

white (RAL 9010): £494 £592.80 volcanic: £618 £741.60 colours: £618 £741.60




TRBD-180-40

height: 1800 mm / 71 ins length: 396 mm / 16 ins output: 1195 watts / 4077 btu

pipe centres: 330 mm

white (RAL 9010): £603 £723.60 volcanic: £754 £904.80 colours: £754 £904.80



TRBD-180-50

height: 1800 mm / 71 ins length: 462 mm / 19 ins output: 1394 watts / 4756 btu

pipe centres: 396 mm

white (RAL 9010): £714 £856.80 volcanic: £893 £1071.60 colours: £893 £1071.60

It's all in the detail...

- prices inclusive of VAT are shown in pink
- prices surrounded by a white box indicate stock items / other listed finishes: please allow 6 weeks
- projection from wall to front face: single tube 74 mm; double tube 91 mm

Have you considered...



For pipes from wall we recommend **valve set 11** see page 141.



For pipes from floor we recommend valve set 36 see page 141.



Technical data

The mandatory introduction of CE marking for radiators means that all radiators should now be independently tested and their outputs certified by an independently accredited third party in accordance with European standard EN 442. This information (including weight, water content and the testing facility) must be shown in the literature and on the packaging.

Bisque has always been scrupulous in ensuring that all radiators in our portfolio are independently tested before we launch them and the required information has always been available via the technical data sheets on our website. In accordance with the new CE guidelines, we have now also included this information in our brochure and on the radiator packaging. We can also provide Declaration of Performance documents on request.

Customers can therefore be assured that Bisque radiators will perform as published and need have no concerns about under heated rooms due to exaggerated radiator outputs.

Towel rails and radiators

| Alban | | | Out | puts △T | =50K are lis | ted on pr | oduct pag | es | | |
|--|---|-------------------------------|------------------------|-------------------------|-------------------|-------------------|---------------------|--------------------|-------------------|-------------------|
| Model code | Finish | Overall projection | Pipe centre mm | S | | puts =30K | Exponent n. | Weight | Water content | Immersion rating |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| ALB-100-50 ALB-140-50 ALB-180-50 | stainless steel stainless steel stainless steel | 100-125 100-125 100-125 | 50 50 50 | 55-80 55-80 55-80 | 135 171 221 | 461 583 755 | 1.25 1.3 1.24 | 6.6 8.7 10.8 | 5.2 7.2 9.1 | 200 250 300 |
| Max. working | g pressure 4 bar | Max. work | king temperature 90° C | Test lab | o. reg. no | . 480 | Test lab. | BSRIA | | |

| Archibald | | | Out | puts △T= | =50K are list | ted on pr | oduct pag | es | | |
|--------------|---|--------------------|-------------------|-----------|---------------|-------------|-------------|--------|---------------|------------------|
| Model code | Finish | Overall projection | Pipe centre mm | es | | outs 30K | Exponent n. | Weight | Water content | Immersion rating |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| ARB-120-50 | white | 104-108 | 200 minus valves | 66-70 | 180 | 614 | 1.22 | 4.6 | 2.3 | N/A |
| ARB-120-50 | chrome | 104-108 | 200 minus valves | 66-70 | 125 | 427 | 1.22 | 4.6 | 2.3 | N/A |
| Max. working | Max. working pressure 12 bar Max. working temperature 95° C Test lab. reg. no. 1428 Test lab. WSP | | | | | | | | | |

| Balmoral | | | | | Out | puts △T= | =50K are list | ted on pro | oduct pag | es |
|--|---|-----------------------|-------------------------------|-----------|----------------------|----------|---------------|--------------|----------------------------|------------------|
| Model code | Finish | Overall projection mm | Pipe centre mm radiator | from wall | Outp △T= Watts | | Exponent n. | Weight kg | Water content litres | Immersion rating |
| BALM white/chrome 250 578 minus valves 100 355 1211 1.31 24 10 N/A | | | | | | | | | | |
| Max. working | Max. working pressure 5 bar Max. working temperature 120° C Test lab. reg. no. 0480 Test lab. BSRIA | | | | | | | | | |

| Dialetanel* | | | | | | | | | | |
|---------------------------------------|-------------------------|--------------------|---|----------------|-------------------|--------------------|----------------------|--------------------|-------------------|-------------------|
| Blok towel* | | | | | Outp | uts △T= | =50K are list | ted on pro | oduct pag | es |
| Model code | Finish | Overall projection | Pipe centre mm | S | Outpu △T=3 | | Exponent n. | Weight | Water content | Immersion rating |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| BLA-60-33 BLA-130-33 BLA-160-33 | paint paint paint | 118 146 146 | length + valves length + valves length + valves | 50 50 50 | 156 292 349 | 532 996 1191 | 1.27 1.27 1.28 | 4.3 8.5 10.3 | 0.6 1.1 1.3 | N/A N/A N/A |
| BLA-190-33 | paint | 146 | length + valves | 50 | 407 | 1389 | 1.30 | 12.1 | 1.5 | N/A |
| Max. working press | ure 8 bar | Max. work | ing temperature 90° C | Test lab | . reg. no. | 1695 | Test lab. | M.R.T. | | |
| *To make this a tow | el radiator | please add a | relevant size towel rail | to the order, | see page | 14 | | | | |

Where pipe centres are listed as **length + valves**, please consult the product fitting sheets on our website for the most precise and up-to-date information.

Please note that the maximum operating pressure for our immersion heaters is 4bar.

| Buckingh | am | | Out | puts △T | =50K are list | ted on pro | oduct pag | es | | |
|--|-----------------------|------------|------------|---------|---------------|--------------|-------------|--------|---------------|------------------|
| Model code Finish Overall Pipe centres projection mm | | | | | | outs :30K | Exponent n. | Weight | Water content | Immersion rating |
| | mm radiator from wall | | | | | Btus | | kg | litres | |
| BUCK | chrome | 120 | 425 | 50 | 91 | 310 | 1.23 | 8 | 1.9 | N/A |
| Max. working | ng pressure 5 bar | C Test lab | o. reg. no | . 0480 | Test lab. | BSRIA | | | | |

| Chime | | | | | | | | | | |
|--------------|------------------|------------|------------------------|-----------|---------|----------|--------------|------------|-----------|-----------|
| Chille | | | | | Out | puts △T= | =50K are lis | ted on pro | oduct pag | es |
| Model code | Finish | Overall | Pipe centre | s | Out | puts | Exponent | Weight | Water | Immersion |
| | | projection | mm | | △T= | =30K | n. | | content | rating |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| CHM-100-50 | paint | 121-146 | 50 | 55-80 | 204 | 696 | 1.23 | 7.3 | 6 | 200 |
| CHM-140-50 | paint | 121-146 | 50 | 55-80 | 272 | 928 | 1.26 | 9.6 | 6.7 | 250 |
| CHM-180-50 | paint | 121-146 | 50 | 55-80 | 341 | 1163 | 1.24 | 12 | 8.2 | 300 |
| CHM-100-50 | stainless steel | 121-146 | 50 | 55-80 | 141 | 480 | 1.32 | 7.3 | 6 | 200 |
| CHM-140-50 | stainless steel | 121-146 | 50 | 55-80 | 204 | 697 | 1.2 | 9.6 | 6.7 | 250 |
| CHM-180-50 | stainless steel | 121-146 | 50 | 55-80 | 234 | 797 | 1.23 | 12 | 8.2 | 300 |
| Max. working | g pressure 6 bar | Max. work | sing temperature 90° C | Test lab | rea. no | . 0480 | Test lab. | BSRIA | | |

| Classic to | wel* | | | | Out | puts △T= | =50K are lis | ted on pr | oduct pag | es |
|--------------|-----------------|--------------------|-------------------------|------------|-----------|--------------|--------------|-----------|---------------|------------------|
| Model code | Finish | Overall projection | on mm | | | puts =30K | Exponent n. | Weight | Water content | Immersion rating |
| | | mm | radiator +/- 1.5% | from wall | Watts | Btus | | kg | litres | |
| 2W-75-37 | paint | 170 | 326 | 59 | 232 | 793 | 1.25 | 9.3 | 5.6 | N/A |
| 2W-75-46 | paint | 170 | 418 | 59 | 290 | 991 | 1.25 | 11.6 | 7 | N/A |
| 2W75-55 | paint | 170 | 510 | 59 | 349 | 1189 | 1.25 | 13.9 | 8.4 | N/A |
| 2W-75-64 | paint | 170 | 602 | 59 | 407 | 1387 | 1.25 | 16.2 | 9.8 | N/A |
| 2W-180-28 | paint | 170 | 234 | 59 | 381 | 1300 | 1.31 | 16.2 | 9 | N/A |
| 2W-180-37 | paint | 170 | 326 | 59 | 508 | 1733 | 1.31 | 21.6 | 12 | N/A |
| 2W-180-46 | paint | 170 | 418 | 59 | 635 | 2167 | 1.31 | 27 | 15 | N/A |
| 2W-180-55 | paint | 170 | 520 | 59 | 762 | 2600 | 1.31 | 32.4 | 18 | N/A |
| Max. working | pressure 10 bar | Max. work | ting temperature 110° (| C Test lab | . reg. no | . 1428 | Test lab. | WSP | | ' |

*To make this a towel radiator please add a relevant size towel rail to the order, see page 24

| Deline | | | | | Out | puts △T | =50K are lis | ted on pro | oduct pag | es |
|--------------|------------------|--------------------|-----------------------|-----------|-------------|--------------|--------------|------------|---------------|------------------|
| Model code | Finish | Overall projection | Pipe centre mm | S | Outp △T= | outs :30K | Exponent n. | Weight | Water content | Immersion rating |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| DEL-80-50 | paint | 70-80 | 456 | 55-65 | 199 | 679 | 1.26 | 6 | 3.9 | 200 |
| DEL-120-50 | paint | 70-80 | 456 | 55-65 | 288 | 984 | 1.27 | 9 | 5.7 | 250 |
| DEL-180-50 | paint | 70-80 | 456 | 55-65 | 437 | 1488 | 1.26 | 13.5 | 8.7 | 400 |
| DEL-80-60 | paint | 70-80 | 556 | 55-65 | 235 | 803 | 1.26 | 7 | 4.6 | 200 |
| DEL-120-60 | paint | 70-80 | 556 | 55-65 | 340 | 1162 | 1.26 | 10 | 6.6 | 300 |
| DEL-180-60 | paint | 70-80 | 556 | 55-65 | 516 | 1762 | 1.25 | 16 | 9.9 | 400 |
| DEL-80-50 | chrome | 70-80 | 456 | 55-65 | 145 | 497 | 1.26 | 6 | 3.9 | 200 |
| DEL-120-50 | chrome | 70-80 | 456 | 55-65 | 210 | 719 | 1.27 | 9 | 5.7 | 250 |
| DEL-180-50 | chrome | 70-80 | 456 | 55-65 | 319 | 1086 | 1.26 | 13.5 | 8.7 | 400 |
| DEL-80-60 | chrome | 70-80 | 556 | 55-65 | 172 | 586 | 1.26 | 7 | 4.6 | 200 |
| DEL-120-60 | chrome | 70-80 | 556 | 55-65 | 248 | 848 | 1.26 | 10 | 6.6 | 300 |
| DEL-180-60 | chrome | 70-80 | 556 | 55-65 | 377 | 1287 | 1.25 | 16 | 9.9 | 400 |
| Max. working | pressure 11.5 ba | ar Max. work | ing temperature 90° C | Test lak | o. reg. no | . 1428 | Test lab. | WSP | 1 | 1 |

| Gio | | | | | Out | puts △T: | =50K are list | ted on pro | oduct pag | jes |
|---|--|--------------------|-------------------|-----------|-------|--------------|---------------|------------|---------------|--------------------------|
| Model code | Finish | Overall projection | Pipe centre mm | es | | outs :30K | Exponent n. | Weight | Water content | Immersion rating |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| GIO-90-55 GIO-120-55 GIO-150-55 GIO-180-55 | stainless steel 75-105 500 60-90 97 331 1.19 4.8 2.2 stainless steel 75-105 500 60-90 132 450 1.19 6.3 2.8 stainless steel 75-105 500 60-90 165 563 1.19 7.3 3.5 | | | | | | | | | 100 200 200 250 |
| Max. working | Max. working pressure 9 bar Max. working temperature 120° C Test lab. reg. no. 1695 Test lab. M.R.T | | | | | | | | | |

Hot Spring

Outputs △T=50K are listed on product pages

| Model code | Finish | Overall projection | Pipe centres mm | | Outputs △T=30K | | Exponent n. | Weight | Water content | Immersion rating |
|------------|--------|--------------------|--------------------|-----------|-------------------|------|-------------|--------|---------------|------------------|
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| HOT-60 | paint | 280 | 60 | 65 | 165 | 563 | 1.23 | 7.5 | 2.3 | N/A |
| HOT-120 | paint | 280 | 60 | 65 | 320 | 1091 | 1.25 | 14.3 | 4.5 | N/A |
| HOT-150 | paint | 280 | 60 | 65 | 401 | 1367 | 1.24 | 16.8 | 5.6 | N/A |
| HOT-180 | paint | 280 | 60 | 65 | 465 | 1586 | 1.26 | 19.5 | 6.5 | N/A |
| HOT-60 | chrome | 280 | 60 | 65 | 124 | 423 | 1.23 | 7 | 2.3 | N/A |
| HOT-120 | chrome | 280 | 60 | 65 | 225 | 767 | 1.25 | 14.3 | 4.5 | N/A |
| HOT-150 | chrome | 280 | 60 | 65 | 287 | 979 | 1.24 | 16.8 | 5.6 | N/A |
| HOT-180 | chrome | 280 | 60 | 65 | 344 | 1173 | 1.26 | 19.5 | 6.5 | N/A |

Max. working pressure 12 bar Max. working temperature 95° C

Test lab. reg. no. 1428

Test lab. WSP

Lissett towel*

| | | | | | Outputs △T=50K are listed on product pages | | | | | |
|------------------------------------|-------------------------|-------------------------------------|--------------------|-------------------------------|--|---------------------|----------------------|---------------------|-------------------|-------------------|
| Model code | Finish | Overall projection | Pipe centres mm | | Outputs △T=30K | | Exponent n. | Weight | Water content | Immersion rating |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| LI-60-40 LI-160-40 LI-190-40 | paint paint paint | 115 - 128 135 - 148 135 - 148 | 201 201 201 | 51 - 64 51 - 64 51 - 64 | 162 379 440 | 553 1293 1500 | 1.29 1.31 1.31 | 4.0 10.0 11.3 | 0.8 1.8 2.1 | N/A N/A N/A |

Max. working pressure 8 bar

Max. working temperature 90° C

Test lab. reg. no. 1695

Test lab. M.R.T.

*To make this a towel radiator please add a relevant size towel rail to the order, see page 40

Olga

| Olga | | | | | Out | puts △T= | =50K are lis | ted on pro | oduct pag | es |
|------------|-----------------|--------------------|-------------------|-----------|-------|--------------|--------------|------------|---------------|------------------|
| Model code | Finish | Overall projection | Pipe centre mm | es | | puts =30K | Exponent n. | Weight | Water content | Immersion rating |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| OLG-60-50 | stainless steel | 75-105 | 450 | 75-105 | 77 | 263 | 1.19 | 3.2 | 1.4 | 100 |
| OLG-90-30 | stainless steel | 75-105 | 270 | 75-105 | 92 | 314 | 1.18 | 3.3 | 1.9 | 100 |
| OLG-90-50 | stainless steel | 75-105 | 450 | 75-105 | 109 | 372 | 1.21 | 4.3 | 2 | 100 |
| OLG-120-30 | stainless steel | 75-105 | 270 | 75-105 | 109 | 372 | 1.21 | 4.3 | 2.4 | 150 |
| OLG-120-50 | stainless steel | 75-105 | 450 | 75-105 | 141 | 481 | 1.22 | 5.4 | 2.7 | 150 |
| OLG-120-65 | stainless steel | 75-105 | 600 | 75-105 | 182 | 621 | 1.20 | 6.5 | 3.1 | 200 |
| OLG-155-50 | stainless steel | 75-105 | 450 | 75-105 | 194 | 662 | 1.22 | 7.2 | 3.8 | 250 |
| OLG-180-50 | stainless steel | 75-105 | 450 | 75-105 | 210 | 717 | 1.23 | 8.1 | 4.2 | 250 |

Max. working pressure 9 bar

Max. working temperature 120° C

Test lab. reg. no. 1695

Test lab. M.R.T.

Optic

| Optic | | Outputs △T=50K are listed on product pages | | | | | | | | |
|------------|---------|--|----------|-----------|-------------|------|-------------|--------|---------------|------------------|
| Model code | Finish | Overall projection | | | Outp △T= | | Exponent n. | Weight | Water content | Immersior rating |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| OPT-80-50 | painted | 90-100 | 470 | 75-95 | 198 | 676 | 1.24 | 6.6 | 3.7 | 150 |
| OPT-80-60 | painted | 90-100 | 570 | 75-95 | 229 | 781 | 1.25 | 7.6 | 4.3 | 150 |
| OPT-120-50 | painted | 90-100 | 470 | 75-95 | 284 | 969 | 1.26 | 9.6 | 5.4 | 200 |
| OPT-120-60 | painted | 90-100 | 570 | 75-95 | 329 | 1123 | 1.27 | 11 | 6.2 | 250 |
| OPT-180-50 | painted | 90-100 | 470 | 75-95 | 428 | 1460 | 1.27 | 14.8 | 8.3 | 300 |
| OPT-180-60 | painted | 90-100 | 570 | 75-95 | 495 | 1689 | 1.28 | 17.1 | 9.6 | 400 |
| OPT-80-50 | chrome | 90-100 | 470 | 75-95 | 119 | 406 | 1.26 | 6.6 | 3.7 | 150 |
| OPT-80-60 | chrome | 90-100 | 570 | 75-95 | 138 | 471 | 1.27 | 7.6 | 4.3 | 150 |
| OPT-120-50 | chrome | 90-100 | 470 | 75-95 | 169 | 577 | 1.27 | 9.6 | 5.4 | 200 |
| OPT-120-60 | chrome | 90-100 | 570 | 75-95 | 195 | 665 | 1.27 | 11 | 6.2 | 250 |
| OPT-180-50 | chrome | 90-100 | 470 | 75-95 | 264 | 901 | 1.27 | 14.8 | 8.3 | 300 |
| OPT-180-60 | chrome | 90-100 | 570 | 75-95 | 309 | 1054 | 1.27 | 17.1 | 9.6 | 400 |

Max. working pressure 10 bar Max. working temperature 95° C

Test lab. reg. no. 1428

Test lab. WSP

| Orbit | | | | | Out | puts △T | =50K are lis | ted on pr | oduct pag | es |
|-------------|------------------|--------------------|-------------------------|------------|------------|--------------|--------------|-----------|---------------|------------------|
| Model code | Finish | Overall projection | Pipe centre mm | es | | puts =30K | Exponent n. | Weight | Water content | Immersion rating |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| OBT-60-50 | stainless steel | 145-175 | 50 | 60-90 | 106 | 362 | 1.17 | 4 | 1.9 | N/A |
| OBT-90-50 | stainless steel | 145-175 | 50 | 60-90 | 158 | 539 | 1.22 | 6 | 3 | N/A |
| OBT-120-50 | stainless steel | 145-175 | 50 | 60-90 | 214 | 730 | 1.24 | 7.9 | 3.7 | N/A |
| OBT-150-50 | stainless steel | 145-175 | 50 | 60-90 | 272 | 928 | 1.26 | 9.9 | 4.8 | N/A |
| OBT-180-50 | stainless steel | 145-175 | 50 | 60-90 | 340 | 1160 | 1.22 | 11.7 | 6 | N/A |
| Max. workin | g pressure 9 bar | Max. work | king temperature 120° (| C Test lal | o. reg. no | . 1695 | Test lab. | M.R.T. | | |

| Osbourne |) | | Out | puts △T= | =50K are list | ted on pr | oduct pag | es | | |
|--------------|-------------------|--------------------|-------------------------|------------|---------------|--------------|-------------|--------|---------------|------------------|
| Model code | Finish | Overall projection | Pipe centre mm | es | | outs :30K | Exponent n. | Weight | Water content | Immersion rating |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| OSBO | chrome | 140 | 445 minus valves | 100 | 128 | 437 | 1.23 | 10 | 3 | N/A |
| Max. working | ng pressure 5 bar | Max. work | king temperature 120° (| C Test lab | o. reg. no | . 0480 | Test lab. | BSRIA | | |

| Pera | | | Out | puts △T= | =50K are lis | ted on pro | oduct pag | es | | |
|---------------------------------------|---|----------------------------|------------------------|-------------------------|------------------|-------------------|----------------------|-------------------|-------------------|-------------------|
| Model code | Finish | Overall projection | Pipe centre mm | es . | Outp △T= | outs :30K | Exponent n. | Weight | Water content | Immersion rating |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| PER-80-50 PER-120-50 PER-150-50 | stainless steel stainless steel stainless steel | 78-103 78-103 78-103 | 462 462 462 | 59-84 59-84 59-84 | 98 144 179 | 334 490 611 | 1.27 1.23 1.22 | 4.8 6.6 7.6 | 3.1 4.5 5.7 | 150 200 250 |
| Max. workin | g pressure 4 bar | Max. work | king temperature 90° C | Test lat | o. reg. no | . 0480 | Test lab. | BSRIA | | |

| Straight fr | onted towel | | | | Outp | outs △T | =50K are lis | ted on pr | oduct pag | es |
|-------------|-------------------|--------------------|------------------------|------------|-------------|---------|--------------|-----------|---------------|------------------|
| Model code | Finish | Overall projection | Pipe centres mm | | Outp △T= | | Exponent n. | Weight | Water content | Immersion rating |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| SFT-80-50 | painted | 102-119 | 458 | 66-83 | 224 | 765 | 1.22 | 8.1 | 4.3 | 200 |
| SFT-80-60 | painted | 102-119 | 558 | 66-83 | 265 | 905 | 1.21 | 9.5 | 5 | 250 |
| SFT-120-50 | painted | 102-119 | 458 | 66-83 | 325 | 1094 | 1.23 | 12 | 6.1 | 250 |
| SFT-120-60 | painted | 102-119 | 558 | 66-83 | 385 | 1297 | 1.22 | 13.9 | 7.2 | 300 |
| SFT-185-50 | painted | 102-119 | 458 | 66-83 | 500 | 1702 | 1.24 | 19.1 | 9.6 | 400 |
| SFT-185-60 | painted | 102-119 | 558 | 66-83 | 592 | 2001 | 1.23 | 22 | 11.3 | 500 |
| SFT-80-50 | chrome | 102-119 | 458 | 66-83 | 146 | 485 | 1.22 | 8.1 | 4.3 | 200 |
| SFT-80-60 | chrome | 102-119 | 558 | 66-83 | 173 | 570 | 1.21 | 9.5 | 5 | 250 |
| SFT-120-50 | chrome | 102-119 | 458 | 66-83 | 214 | 704 | 1.23 | 12 | 6.1 | 250 |
| SFT-120-60 | chrome | 102-119 | 558 | 66-83 | 255 | 833 | 1.22 | 13.9 | 7.2 | 300 |
| SFT-185-50 | chrome | 102-119 | 458 | 66-83 | 337 | 1120 | 1.24 | 19.1 | 9.6 | 400 |
| SFT-185-60 | chrome | 102-119 | 558 | 66-83 | 399 | 1316 | 1.23 | 22 | 11.3 | 500 |
| Max. workin | g pressure 10 bar | Max. work | ing temperature 100° (| C Test lab | o. reg. no. | 1428 | Test lab. | WSP | 1 | 1 |

| Svelte | | | | | Out | :puts △T: | =50K are lis | ted on pr | oduct pag | es |
|--------------------------|-------------------|--------------------|-----------------------|----------------|------------|--------------|--------------|-----------|---------------|------------------|
| Model code | Finish | Overall projection | Pipe centre mm | S | | puts =30K | Exponent n. | Weight | Water content | Immersion rating |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| SVA-151-30 SVA-189-30 | paint paint | 117-131 117-131 | 40 40 | 51-64 51-64 | 189 220 | 644 754 | 1.27 1.31 | 6.3 7 | 0.75 0.9 | N/A N/A |
| Max. working | ng pressure 6 bar | Max. work | ing temperature 90° C | Test la | o. reg. no | . 1695 | Test lab. | M.R.T. | <u>'</u> | |

Where pipe centres are listed as **length + valves**, please consult the product fitting sheets on our website for the most precise and up-to-date information.

Please note that the maximum operating pressure for our immersion heaters is 4bar.

General purpose radiators

| Arteplano | Arteplano | | | | | | =50K are lis | ted on pro | oduct pag | jes |
|--------------|----------------|--------------------|-----------------------|-----------|------------|--------------|--------------|------------|---------------|------------------|
| Model code | Finish | Overall projection | Pipe centre mm | s | 1 | puts =30K | Exponent n. | Weight* | Water content | Immersion rating |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| VJ-56-100 | paint/metal | 74/79 | length + valves | 44/49 | 312 | 1065 | 1.25 | 30 | 3.5 | N/A |
| VJ-56-120 | paint/metal | 74/79 | length + valves | 44/49 | 374 | 1278 | 1.25 | 37 | 4.3 | N/A |
| VJ-56-140 | paint/metal | 74/79 | length + valves | 44/49 | 437 | 1490 | 1.25 | 43 | 5 | N/A |
| HJ-180-30 | paint/metal | 74/79 | 251 | 44/49 | 268 | 913 | 1.3 | 17 | 2.9 | N/A |
| HJ-180-45 | paint/metal | 74/79 | 399 | 44/49 | 402 | 1370 | 1.3 | 34 | 4.3 | N/A |
| HJ-180-60 | paint/metal | 74/79 | 547 | 44/49 | 535 | 1827 | 1.3 | 46 | 5.8 | N/A |
| Max. working | pressure 4 bar | Max. work | ing temperature 85° C | Test lab | o. rea. no | . 0626 | Test lab. | HLK Stut | ttgart | |

^{*} the mirror finish of this product has a 9% reduction in output
* please note weight may vary depending on finish

| Blok | | | | | Out | puts △T | =50K are lis | ted on pr | oduct pag | es |
|----------------|---------------|--------------------|------------------------|-----------|--------------|-------------|--------------|---------------|------------------|-----|
| Model code | Finish | Overall projection | Pipe centre mm | | puts =30K | Exponent n. | Weight | Water content | Immersion rating | |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| BLA-60-66 | paint | 80 | length + valves | 50 | 312 | 1065 | 1.27 | 8.6 | 1.2 | N/A |
| BLA-60-82 | paint | 80 | length + valves | 50 | 390 | 1331 | 1.27 | 10.8 | 1.5 | N/A |
| BLA-60-99 | paint | 80 | length + valves | 50 | 467 | 1593 | 1.27 | 13.0 | 1.8 | N/A |
| BLA-60-115 | paint | 80 | length + valves | 50 | 545 | 1860 | 1.27 | 15.2 | 2.1 | N/A |
| BLA-160-33 | paint | 80 | length + valves | 50 | 349 | 1191 | 1.28 | 10.3 | 1.3 | N/A |
| BLA-160-50 | paint | 80 | length + valves | 50 | 524 | 1788 | 1.28 | 15.5 | 1.9 | N/A |
| BLA-190-33 | paint | 80 | length + valves | 50 | 407 | 1389 | 1.30 | 12.1 | 1.5 | N/A |
| BLA-190-50 | paint | 80 | length + valves | 50 | 610 | 2081 | 1.30 | 18.1 | 2.3 | N/A |
| BLA-190-66 | paint | 80 | length + valves | 50 | 813 | 2774 | 1.30 | 24.2 | 3.0 | N/A |
| Max. working p | ressure 6 bar | Max. work | ting temperature 90° C | Test lab | o. reg. no | . 1695 | Test lab. | M.R.T. | 1 | |

| Classic (wal | I hung) | | | | Outp | outs △T⊧ | =50K are lis | ted on pr | oduct pag | es |
|----------------|----------------|--------------------|-------------------------|------------|-------------|----------|--------------|-----------|---------------|------------------|
| Model code | Finish | Overall projection | Pipe centre mm | es | Outp △T= | | Exponent n. | Weight | Water content | Immersion rating |
| | | mm | radiator +/- 1.5% | from wall | Watts | Btus | | kg | litres | |
| 2W-120-37 | paint | 90 | 326 | 59 | 350 | 1193 | 1.25 | 14.4 | 8.8 | N/A |
| 2W-120-46 | paint | 90 | 418 | 59 | 437 | 1490 | 1.25 | 18 | 11 | N/A |
| 2W-120-55 | paint | 90 | 510 | 59 | 524 | 1787 | 1.25 | 21.6 | 13.2 | N/A |
| 2W-180-28 | paint | 90 | 234 | 59 | 381 | 1300 | 1.31 | 16.2 | 9 | N/A |
| 2W-180-37 | paint | 90 | 326 | 59 | 508 | 1733 | 1.31 | 21.6 | 12 | N/A |
| 2W-180-46 | paint | 90 | 418 | 59 | 635 | 2167 | 1.31 | 27 | 15 | N/A |
| 2W-180-55 | paint | 90 | 510 | 59 | 762 | 2600 | 1.31 | 32.4 | 18 | N/A |
| Max. working p | ressure 10 bar | Max. work | king temperature 110° (| C Test lab | o. reg. no. | 1428 | Test lab. | WSP | | 1 |

| Classic (wi | th feet) | | | | Out | puts △T: | =50K are lis | ted on pr | oduct pag | es |
|-------------|----------|--------------------|------------------|-----------|-------------|----------|--------------|-----------|---------------|------------------|
| Model code | Finish | Overall projection | Pipe centr mm | res | Outp △T= | | Exponent n. | Weight | Water content | Immersion rating |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| 4F-30-46 | paint | 164 | length + valves | 96 | 221 | 755 | 1.25 | 10.9 | 7 | N/A |
| 4F-30-74 | paint | 164 | length + valves | 96 | 354 | 1207 | 1.25 | 17.3 | 11.2 | N/A |
| 4F-30-92 | paint | 164 | length + valves | 96 | 443 | 1510 | 1.25 | 21.5 | 14 | N/A |
| 4F-30-110 | paint | 164 | length + valves | 96 | 531 | 1813 | 1.25 | 25.9 | 16.8 | N/A |
| 4F-40-69 | paint | 164 | length + valves | 96 | 433 | 1477 | 1.26 | 20.4 | 13.5 | 750 |
| 4F-40-92 | paint | 164 | length + valves | 96 | 577 | 1968 | 1.26 | 27.1 | 18 | 1000 |
| 4F-40-110 | paint | 164 | length + valves | 96 | 692 | 2363 | 1.26 | 32.6 | 21.6 | N/A |
| 4F-40-138 | paint | 164 | length + valves | 96 | 865 | 2953 | 1.26 | 40.7 | 27 | 750 |
| 4F-50-55 | paint | 164 | length + valves | 96 | 426 | 1454 | 1.26 | 19.9 | 12 | 750 |
| 4F-50-64 | paint | 164 | length + valves | 96 | 497 | 1696 | 1.26 | 23.3 | 14 | N/A |
| 4F-50-74 | paint | 164 | length + valves | 96 | 568 | 1940 | 1.26 | 26.5 | 16 | 1000 |
| 4F-50-92 | paint | 164 | length + valves | 96 | 710 | 2424 | 1.26 | 33.1 | 20 | 1250 |
| 4F-50-110 | paint | 164 | length + valves | 96 | 852 | 2908 | 1.26 | 39.8 | 24 | N/A |
| 4F-50-129 | paint | 164 | length + valves | 96 | 995 | 3394 | 1.26 | 46.4 | 28 | N/A |
| 4F-60-46 | paint | 164 | length + valves | 96 | 417 | 1423 | 1.27 | 19.8 | 12 | 750 |
| 4F-60-64 | paint | 164 | length + valves | 96 | 584 | 1992 | 1.27 | 27.6 | 16.8 | 1000 |
| 4F-60-83 | paint | 164 | length + valves | 96 | 751 | 2561 | 1.27 | 35.4 | 21.6 | 1250 |

Classic (with feet) continued

| Classic (Wit | n ieet) co | ntinuea | | | Outp | outs △T= | =50K are lis | ted on pro | oduct pag | es |
|---|--|--|--|-----------------------------------|--|--|--|--|--|--|
| Model code | Finish | Overall projection | Pipe centr mm | es | Outp △T= | | Exponent n. | Weight | Water content | Immersion rating |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| 4F-60-101 4F-60-120 4F-75-55 4F-75-64 4F-75-74 6F-40-138 | paint paint paint paint paint paint | 164 164 164 164 164 238 | length + valves length + valves length + valves length + valves length + valves length + valves | 96 96 96 96 96 133 | 918 1085 611 713 808 1262 | 3132 3701 2085 2433 2756 4307 | 1.27 1.27 1.27 1.27 1.27 1.27 | 43.2 51.2 29.3 33.9 38.4 61.2 | 26.4 31.2 16.8 19.6 22.4 39 | 1500 1800 N/A N/A N/A N/A |

Max. working pressure 10 bar Max. working temperature 110° C Test lab. reg. no. 1428 Test lab. WSP

Decorative nanel

| Decorative | panei | | | | Outputs △T=50K are listed on product pages | | | | | es |
|----------------|--------|--------------------|-------------------|-----------|--|------|-------------|------------|---------------|------------------|
| Model code | Finish | Overall projection | Pipe centre mm | es | Outp △T= | | Exponent n. | Weight | Water content | Immersion rating |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| DH-50-60 | paint | 69/89 | length + valves | 44/64 | 278 | 947 | 1.28 | 15 | 1.9 | N/A |
| DH-50-80 | paint | 69/89 | length + valves | 44/64 | 370 | 1263 | 1.28 | 20 | 2.5 | N/A |
| DH-50-100 | paint | 69/89 | length + valves | 44/64 | 462 | 1577 | 1.28 | 25 | 3.1 | N/A |
| DH-50-120 | paint | 69/89 | length + valves | 44/64 | 555 | 1893 | 1.28 | 30 | 3.7 | N/A |
| DH-50-150 | paint | 69/89 | length + valves | 44/64 | 694 | 2369 | 1.28 | 37 | 4.7 | N/A |
| DH-57-60 | paint | 69/89 | length + valves | 44/64 | 324 | 1105 | 1.29 | 16.8 | 3.54 | N/A |
| DH-57-80 | paint | 69/89 | length + valves | 44/64 | 411 | 1402 | 1.29 | 22 | 2.8 | N/A |
| DH-57-100 | paint | 69/89 | length + valves | 44/64 | 541 | 1845 | 1.29 | 28 | 3.54 | N/A |
| DH-57-120 | paint | 69/89 | length + valves | 44/64 | 617 | 2104 | 1.29 | 34 | 4.2 | N/A |
| DH-57-150 | paint | 69/89 | length + valves | 44/64 | 771 | 2630 | 1.29 | 42 | 5.3 | N/A |
| DVL-80-28 | paint | 69/74 | 243 | 44/49 | 182 | 621 | 1.29 | 8 | 1.5 | N/A |
| DVL-80-42 | paint | 69/74 | 385 | 44/49 | 273 | 932 | 1.29 | 12 | 2.3 | N/A |
| DVL-180-28 | paint | 69/74 | 243 | 44/49 | 343 | 1169 | 1.33 | 20 | 2.8 | N/A |
| DVL-180-35 | paint | 69/74 | 314 | 44/49 | 428 | 1461 | 1.33 | 25 | 3.6 | N/A |
| DVL-180-42 | paint | 69/74 | 385 | 44/49 | 514 | 1754 | 1.33 | 30 | 4.3 | N/A |
| DVL-180-50 | paint | 69/74 | 456 | 44/49 | 600 | 2046 | 1.33 | 35 | 5 | N/A |
| Mary madding a | | | : t 1000 (| Test let | | 0000 | Task lab | 11117 04.4 | | |

Max. working pressure 4.6 bar Max. working temperature 120° C Test lab. reg. no. 0626 Test lab. HLK Stuttgart

| Finn | Outputs △T=50K are listed on product pages | | | | | | | | | |
|------------|--|--------------------|------------------|-------------------|-------|-------------|--------|---------------|------------------|-----|
| Model code | Finish | Overall projection | Pipe centr mm | Outputs △T=30K | | Exponent n. | Weight | Water content | Immersion rating | |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| FN-60-77 | paint | 130 | length + valves | 50 | 440 | 1502 | 1.26 | 22.7 | 5.1 | N/A |
| FN-60-98 | paint | 130 | length + valves | 50 | 561 | 1913 | 1.26 | 28.8 | 6.4 | N/A |
| FN-60-119 | paint | 130 | length + valves | 50 | 680 | 2322 | 1.26 | 35 | 7.8 | N/A |
| FN-60-140 | paint | 130 | length + valves | 50 | 801 | 2732 | 1.26 | 41.2 | 9.2 | N/A |
| FN-180-28 | paint | 130 | 210 | 50 | 433 | 1476 | 1.28 | 22.1 | 4.7 | N/A |
| FN-180-35 | paint | 130 | 280 | 50 | 541 | 1845 | 1.28 | 27.6 | 5.9 | N/A |
| FN-180-42 | paint | 130 | 350 | 50 | 649 | 2214 | 1.28 | 33.1 | 7.1 | N/A |
| | | | | | | | | | | |

Max. working pressure 5 bar Max. working temperature 120° C Test lab. reg. no. 0626 Test lab. HLK Stuttgart

Flow Form

| FIOW FOITH | | | | | | | Outputs △T=50K are listed on product pages | | | | | | | | |
|-------------|--------|--------------------|-------------------|--------|------|--------------|--|--------|---------------|------------------|--|--|--|--|--|
| Model code | Finish | Overall projection | Pipe centre mm | es | | puts =30K | Exponent n. | Weight | Water content | Immersion rating | | | | | |
| mm radiator | | | from wall | Watts | Btus | | kg | litres | | | | | | | |
| FF-100 | paint | Min 109 | length + valves | Min 65 | 131 | 448 | 1.23 | 7 | 1.1 | N/A | | | | | |
| FF-150 | paint | Min 109 | length + valves | Min 65 | 193 | 657 | 1.23 | 11 | 1.6 | N/A | | | | | |
| FF-200 | paint | Min 109 | length + valves | Min 65 | 256 | 875 | 1.3 | 14 | 2.2 | N/A | | | | | |
| XFF-100 | paint | Min 157 | length + valves | Min 90 | 195 | 667 | 1.25 | 11 | 4.1 | N/A | | | | | |
| XFF-150 | paint | Min 157 | length + valves | Min 90 | 298 | 1018 | 1.25 | 17 | 6.8 | N/A | | | | | |
| XFF-200 | paint | Min 157 | length + valves | Min 90 | 421 | 1436 | 1.25 | 22 | 8.1 | N/A | | | | | |
| XFF-100 | chrome | Min 157 | length + valves | Min 90 | 183 | 624 | 1.25 | 11 | 4.1 | N/A | | | | | |
| XFF-150 | chrome | Min 157 | length + valves | Min 90 | 270 | 921 | 1.26 | 17 | 6.8 | N/A | | | | | |
| XFF-200 | chrome | Min 157 | length + valves | Min 90 | 371 | 1266 | 1.26 | 22 | 8.1 | N/A | | | | | |

Max. working pressure 10 bar Max. working temperature 95° C Test lab. reg. no. 1428

Where pipe centres are listed as length + valves, please consult the product fitting sheets on our website for the most precise and up-to-date information.

| Lissett | | | | | | puts △T= | 50K are lis | ted on pro | oduct page | es |
|------------------------------------|-------------------------|-------------------------------|---|-------------------------------|-------------------|----------------------|----------------------|---------------------|-------------------|-------------------|
| Model code | Finish | Overall projection | Pipe centres mm | | Outputs △T=30K | | Exponent n. | Weight | Water content | Immersion rating |
| | | mm | radiator | from wall | Watts | Btus | | kg | litres | |
| LI-60-80 LI-60-100 LI-60-120 | paint paint paint | 84 - 97 84 - 97 84 - 97 | length + valves length + valves length + valves | 36 - 49 36 - 49 36 - 49 | 324 406 487 | 1107 1384 1660 | 1.29 1.29 1.29 | 8.0 10.0 12.0 | 1.6 2.0 2.4 | N/A N/A N/A |

36 - 49

51 - 64

51 - 64

568

440

660

1937

1500

2251

1.29

1.31

1.31

14.3

11.3

17.0

2.8

2.1

3.1

N/A N/A

N/A

Max. working pressure 6 bar Max. working temperature 90° C Test lab. reg. no. 1695 Test lab. M.R.T.

length + valves

201

403

| Trubi | | | | Outputs △T=50K are listed on product pages | | | | | | | | |
|--------------|-----------------|--------------------|------------------------|--|-------------------|--------|-------------|--------|---------------|------------------|--|--|
| Model code | Finish | Overall projection | Pipe centres mm | | Outputs △T=30K | | Exponent n. | Weight | Water content | Immersion rating | | |
| | | mm | radiator from w | | Watts | Btus | | kg | litres | | | |
| TRB-60-80 | paint | 74 | length + 15 + valves | 43 | 301 | 1027 | 1.22 | 9.5 | 4.1 | N/A | | |
| TRB-60-100 | paint | 74 | length + 15 + valves | 43 | 376 | 1283 | 1.22 | 11.9 | 5.1 | N/A | | |
| TRB-60-120 | paint | 74 | length + 15 + valves | 43 | 451 | 1539 | 1.22 | 14.2 | 6.1 | N/A | | |
| TRB-180-30 | paint | 74 | 264 | 43 | 354 | 1208 | 1.29 | 10.7 | 4.6 | N/A | | |
| TRB-180-40 | paint | 74 | 330 | 43 | 424 | 1447 | 1.29 | 12.8 | 5.5 | N/A | | |
| TRB-180-50 | paint | 74 | 396 | 43 | 495 | 1689 | 1.29 | 14.9 | 6.4 | N/A | | |
| TRBD-60-80 | paint | 91 | length + 15 + valves | 60 | 480 | 1638 | 1.24 | 17.6 | 7.7 | N/A | | |
| TRBD-60-100 | paint | 91 | length + 15 + valves | 60 | 589 | 2010 | 1.24 | 21.9 | 9.6 | N/A | | |
| TRBD-60-120 | paint | 91 | length + 15 + valves | 60 | 600 | 2047 | 1.26 | 26.3 | 11.5 | N/A | | |
| TRBD-180-30 | paint | 91 | 264 | 60 | 518 | 1767 | 1.28 | 20.8 | 9 | N/A | | |
| TRBD-180-40 | paint | 91 | 330 | 60 | 621 | 2119 | 1.28 | 24.9 | 10.8 | N/A | | |
| TRBD-180-50 | paint | 91 | 396 | 60 | 725 | 2474 | 1.28 | 29.1 | 12.6 | N/A | | |
| Max. working | pressure 10 bar | Max. work | king temperature 95° C | Test la | o. reg. no | . 1428 | Test lab. | WSP | | | | |

Where pipe centres are listed as **length + valves**, please consult the product fitting sheets on our website for the most precise and up-to-date information.

LI-60-140

LI-190-40

LI-190-60

paint


paint

paint

84 - 97

69 - 82

69 - 82



Valves

Bisque radiators are as much about good looks as good performance. As standard radiator valves can often be ugly or obtrusive, we have chosen a range of discreet, well designed, top quality valves from Europe's leading manufacturers to complement our radiators.

There are two types of valves:

Manual valves have no labelled settings - simply turn the valve head until the radiator is giving out the amount of heat desired. They are most suitable for areas where your heating needs are fairly constant e.g. with towel rails, or where the preference is for a more subtle and discreet appearance.

Thermostatic valves come with an in-built temperature sensor and have a range of temperature settings. The thermostatic valves will maintain the room at the temperature you have selected by automatically adjusting the heat output from the radiator. This means that you can take advantage of any "free" heat the room receives, such as that from the sun or from electrical equipment. Thermostatic valves are also useful for rooms that may have sudden large changes in occupancy e.g. dining rooms.

Installation

When deciding which valve set to use you will need to consider where the heating pipes are coming from i.e. the wall or the floor. The tables on the following pages indicate which of our valves sets are suitable for each option. All our valve sets have standard 15mm connections.

Where possible, we would always recommend chasing the pipework into the wall (as you would with electric cables) so that the final installation is as attractive as possible. Long, spindly lengths of pipework can often mar the final look.

Thermostatic valve heads should always be installed with the heads pointing upwards or to the side (as with straight or double angled valves). If they are installed with the heads pointing down, they will not work correctly and will need to be replaced.

Manual valves

| Pipes from floor | | | | | Pipes from wall | | | | | | | | | | | |
|------------------|-------|----------|----------|-------------|-----------------|----------|-----------|---------------------------|---|--------|---------|-----------|---------|----------|---------|----|
| 5 | 8 | 18 | 19 | 26 27 28 32 | | 32 | Valve Set | 5 | 8 | 18 | 19 | 26 | 27 | 28 | 32 | |
| | | | | • | | | • | Alban | • | | • | | | • | • | |
| • | | | | | | | | Archibald | | | | | | • | • | |
| | • | | | | • | | | Balmoral | | • | | | | • | • | |
| | | | | | • | | | Blok towel | | • | | | | | • | |
| | | | | • | | | | Buckingham | | | | | | | | |
| | | | | | | | | Chime | | | | | | | | |
| | | | | • | | | | Classic towel | | • | | | | | • | |
| | | | | • | | | | Deline | | • | | | | | • | |
| | | | | • | | | | Gio | | • | | | | | • | |
| | | | | • | | | | Lissett towel | | • | | | | | • | |
| | | | | • | | | | Olga | | | | | | | • | |
| | | | | • | | | | Optic | | | | | | | | |
| | | | | • | | | | Orbit | | | | | | | | |
| | | | | | • | | | Osbourne | | • | | | | | • | |
| | | | | • | | | | Pera | | • | • | | | | • | |
| | | | | • | | | | Straight fronted | | | | | | | | |
| | speci | ial manu | al valve | s supplie | ed with | radiator | | Svelte | | specia | l manua | al valves | supplie | d with r | adiator | |
| | | | | • | | | | Arteplano - vert. | | | | | | | • | |
| | | | | | • | • | | Arteplano - horiz. | | | | | | • | • | |
| | | | | | • | | | Blok | | • | | | | | • | |
| | | | | • | | | | Classic - wall mounted | | • | | | | • | • | |
| | | | | | | | | Classic - floor mounted | | • | | | | | | |
| | • | | | | • | | | Decorative panel - horiz. | | • | | | | • | • | |
| | | | | | | | | Decorative panel - vert. | | | | | | | | |
| | • | | | | • | | | Finn - horiz. | | • | | | | • | • | |
| | | | | • | | | | Finn - vert. | | • | | | | | | |
| | • | | | | • | | | Flow Form | | • | | | | • | • | |
| | | | | • | | | | Hot Spring | | | | | | | | |
| | | | | | • | | | Lissett - horiz. | | | | | | • | • | |
| | | | | | | | | Lissett - vert. | | | | | | | | |
| | | | | | | | | Trubi - horiz. TRB | | | | | | | • | |
| | | | | | | | | Trubi - horiz. TRBD | | | | | | | | |
| | | | | • | | | | Trubi - vert. TRB | | | | | | | • | |
| | | | | • | | | | Trubi - vert. TRBD | | | | | | • | • | |
| 5 | 8 | 18 | 19 | 26 | 27 | 28 | 32 | Valve Set | 5 | 8 | 18 | 19 | 26 | 27 | 28 | 32 |

set 18 or 19 can be used depending on the handing (water entry and exit position) of the radiator

VALVE SET 5 angled manual

Manual valves





Please note a 15% surcharge

will be applied to all prices displayed, on all

To complement square tube towel radiators.

£233 £279.60 chrome: matt black: £209 £250.80 brushed steel: £243 £291.60







Tap style valves for a traditional look.

£121 £145.20 chrome: £167 £200.40 antique gold: antique bronze: £167 £200.40 polished brass: £167 £200.40 polished nickel: £167 £200.40







Designed to be used with supplementary heaters when connections are from the wall. The element and valve are integrated into one neat unit.

chrome: £146 £175.20







Designed to be used with supplementary heaters when connections are from the wall. The element and valve are integrated into one neat unit.

chrome: £146 £175.20








Manufactured by Ottinetti of Italy, combining quality engineering with a clean uncluttered style.

white (9016): £113 £135.60 nickel nero: £146 £175.20 matt black: £119 £142.80 chrome: £121 £145.20 volcanic: £119 £142.80

- prices inclusive of VAT are shown in orange / prices surrounded by a black box indicate stock items / other finishes: allow 5 6 weeks
- all our valve sets have standard 15mm connections







Manufactured by Ottinetti of Italy, combining quality engineering with a clean uncluttered style.

white (9016): $\underline{\mathfrak{E}113}$ $\underline{\mathfrak{E}135.60}$ matt black: $\underline{\mathfrak{E}119}$ $\underline{\mathfrak{E}142.80}$ volcanic: $\underline{\mathfrak{E}119}$ $\underline{\mathfrak{E}142.80}$ satin chrome: $\underline{\mathfrak{E}144}$ $\underline{\mathfrak{E}172.80}$ nickel nero: $\underline{\mathfrak{E}146}$ $\underline{\mathfrak{E}175.20}$ brass: $\underline{\mathfrak{E}167}$ $\underline{\mathfrak{E}200.40}$ chrome: $\underline{\mathfrak{E}121}$ $\underline{\mathfrak{E}145.20}$







This double angled valve can be reversed for flow on the right or the left.







Designed to be used with supplementary heaters when the pipe connections are from the floor.

+VAT chrome: £121 £145.20

Thermostatic valves

| | Pipes from floor | | | | | | | Pipes from wall | | | | | | | | | |
|--------|------------------|---------|--------|-------------|---------|--------|---------------------------|-----------------|---------|-------|--------|--------|---------|---------|-----|--|--|
| 10 11 | 17 | 20 | 21 | 21 33 36 37 | | | Valve Set | 10 | 11 | 17 | 20 | 21 | 33 | 36 | 37 | | |
| | | | | • | • | | Alban | | | | • | | | | • | | |
| | | | | | | | Archibald | | | | | | | | | | |
| | | | | | | | Balmoral | | | • | | | | | • | | |
| | | | | | | | Blok towel | | | | | | | | | | |
| | | | | | | | Buckingham | | | | | | | | • | | |
| | | | | | | | Chime | • | | | | | | | | | |
| | | | | | • | | Classic towel | | | • | | | | | • | | |
| | | | | | | | Deline | | | | | | | | | | |
| | | | | | • | | Gio | | | | | | | | • | | |
| | | | | | | | Lissett towel | | | | • | | | | | | |
| | | | | • | | | Olga | | • | | | | | | | | |
| | | | | | | | Optic | | | | | | | | | | |
| | | | | | | | Orbit | | | | | | | | | | |
| | | | | | | | Osbourne | | | | | | | | | | |
| | | | | • | • | | Pera | | | | • | | | | • | | |
| | | | | | | | Straight fronted | | | | | | | | | | |
| specia | l manua | l valve | es sup | plied v | with ra | diator | Svelte | sp | ecial m | anual | valves | suppli | ed witl | n radia | tor | | |
| | | | | | | | Arteplano - vert. | | | | | | | | • | | |
| | | | | | | • | Arteplano - horiz. | | | | | | | | | | |
| | | | | | | | Blok | | | | | | | | | | |
| | | | | | | | Classic - wall mounted | | | | | | | | | | |
| | | | | | | | Classic - floor mounted | | | | | | | | | | |
| | | | | | | • | Decorative panel - horiz. | • | | | | | | | | | |
| | | | | | | | Decorative panel - vert. | | | | | | | | | | |
| | • | | | | | | Finn - horiz. | • | | | | | | | | | |
| | | | | | | | Finn - vert. | | | | | | | | | | |
| | | | | | | | Flow Form | • | | | | | | | | | |
| | | | | | | | Hot Spring | | | | | | | | | | |
| | | | | | | | Lissett - horiz. | | | | | | | | | | |
| | | | | | | | Lissett - vert. | | | | | | | | | | |
| | | | | | | • | Trubi - horiz. TRB | | | | | | | | | | |
| | | | | | | | Trubi - horiz. TRBD | • | | | | | | | | | |
| | | | | | | | Trubi - vert. TRB | | | | | | | | | | |
| | | | | | • | | Trubi - vert. TRBD | | | | | | | | | | |
| 10 11 | 17 | 20 | 21 | 33 | 36 | 37 | Valve Set | 10 | 11 | 17 | 20 | 21 | 33 | 36 | 37 | | |

either set can be used depending on the handing (water entry and exit position) of the radiator







Manufactured by Ottinetti of Italy. Double angled valves can be sited in line with

the radiator.

chrome: £208 £249.60 satin chrome: £227 £272.40 nickel nero: £238 £285.60

£286 £343.20 brass:

copper: £286








Manufactured by Ottinetti of Italy. Double angled valves can be sited in line with

the radiator.

chrome: £208 £249.60 satin chrome: £227 £272.40 nickel nero: £238 £285.60 brass: £286

copper: £286 £343.20







The antique styling of these Italian valves complement period interiors.

volcanic: £164 £196.80 brass: £176 £211.20







Designed to be used with supplementary heaters when connections are from the wall. The element and valve are integrated into one neat unit.

chrome: £202 £242.40







Designed to be used with supplementary heaters when connections are from the wall. The element and valve are integrated into one neat unit.

chrome: £202 £242.40

- prices inclusive of VAT are shown in orange / prices surrounded by a black box indicate stock items
- all our valve sets have standard 15mm connections

Thermostatic valves

Please note
a 15% surcharge
will be applied to
all prices
displayed, on all
orders placed from
1st August 2021







Designed to be used with supplementary heaters when the pipe connections are from the floor.

+VAT chrome: £165 £198.00







Manufactured by Ottinetti of Italy, combining quality engineering with a clean uncluttered style.

+VAT

+VAT

chrome: £165 £198.00 satin chrome: £180 £216.00 nickel nero: £198 £237.60

brass: £226 £271.20 copper: £226 £271.20







Manufactured by Ottinetti of Italy, combining quality engineering with a clean uncluttered style.

chrome: $\mathfrak{L}165$ $\mathfrak{L}198.00$ satin chrome: $\mathfrak{L}180$ $\mathfrak{L}216.00$ nickel nero: $\mathfrak{L}198$ $\mathfrak{L}237.60$

brass: £226 £271.20 copper: £226 £271.20

Thermostatic valve heads should always be installed with the heads pointing upwards or to the side (as with straight or double angled valves). If they are installed with heads pointing down they will not work properly and will need to be replaced.

- prices inclusive of VAT are shown in orange / prices surrounded by a black box indicate stock items
- all our valve sets have standard 15mm connections



Supplementary heaters

Supplementary electric heaters are designed to heat towel radiators when the central heating is turned off in the summer months and there is still the need for warm, dry towels.

Our standard supplementary heater, DE-PACK, is non-adjustable. (Note: the maximum operating pressure for these heaters is 4bar)

Installation of a supplementary heater will affect the valve selection and pipe centres. We recommend the installation shown as a neat option for Bisque towel radiators but depending on the location of your pipework, you may need to discuss other options with your plumber.





Electric heaters for towel radiators

We have two types of electric heaters available with our towel radiators.

Our Alban, Chime and Pera radiators are available with a specially designed, non-adjustable heater, which has a neat integrated on/off switch at the bottom. All other electric towel radiators come with our standard non-adjustable heater, which has a white or chrome cap to complement the radiator finish. This heater can be used with our cable cover (see next page) for a neat installation.





Please note: as all of our electric towel radiators come factory fitted, it is not possible to swap the element types.

Heater cable cover

Matching pipe and shroud



SHEC chrome / matt black: £56 £67.20

Our cable cover has been designed for use with our standard electric heater. This neat chrome cover hides the cable attached to the heater. It can be used with all electric towel radiators except the Archibald, Alban, Chime and Pera. The cable cover can also be used with supplementary heaters.



PIPEKIT available in white (RAL 9016) / satin chrome / chrome / nickel nero: £28 £33.60

Two 300 mm long painted or chromed brass pipes with two matching shrouds. The pipes are fitted direct to the valve and can then be connected to main copper heating pipework below the floor boards. The shrouds cannot be used with radiators which have 50mm pipe centres.




Heat-adjustable fuel saving electric element



CTE element heat-adjustable fuel saving electric element with 5 water-temperature settings between 30°C and 60°C. IPX4.

> Please note a 15% surcharge will be applied to all prices displayed, on all orders placed from 1st August 2021



| Model | Watts | Finish | RRP (excuding VAT) | RRP (incuding VAT) |
|-------------|-------|--|-----------------------|-----------------------|
| CTEW-120-DF | 120 | white (white T-piece included) | £165 | £198 |
| CTEW-200-DF | 200 | | £165 | £198 |
| CTEW-300-DF | 300 | | £165 | £198 |
| CTEW-400-DF | 400 | | £165 | £198 |
| CTEW-600-DF | 600 | | £165 | £198 |
| CTEC-120-DF | 120 | chrome (white T-piece included) | £165 | £198 |
| CTEC-200-DF | 200 | chrome (white T-piece included) | £165 | £198 |
| CTEC-300-DF | 300 | chrome (white T-piece included) | £165 | £198 |
| CTEC-400-DF | 400 | chrome (white T-piece included) | £165 | £198 |
| CTEC-600-DF | 600 | chrome (white T-piece included) | £165 | £198 |

Colours and special finishes

The majority of our radiators are available from stock in at least 2-3 finishes, which we believe will complement most interiors. However, there are a wide range of other options available to order.

Our most popular colours and finishes are shown on pages 152 –153. To see which radiators are available in different colours and finishes please consult the tables on the following pages. If your preferred finish is not shown, we can arrange for some radiator models to be painted in a wide range of RAL or NCS colours (**price available on application**). This is only possible for ranges which show a * in the colours column on the tables.

Colour matching service

We offer a unique colour matching service which allows you to match your radiators to popular paint ranges such as Farrow & Ball, Little Greene and Dulux. We can also match to other items such as wallpapers and kitchen cabinets. Please see the video on our website for inspiration.

All we require is a sample of the colour you want and we can then advise the closest match. There will be a small charge (< £10) to organise each proof but you can then be happy you have the precise colour.

Please see the tables on page 150-151 to see which radiator ranges can be colour matched. Prices are available on application as it varies depending on product and colour. Contact a member of our sales team for prices and lead times.

* Please note: colour matching is only available on products that are stocked in white.





Exceptional finishes

For our Classic range, we have developed some especially striking special finishes, which are hand applied with minute care. Please contact us for samples and prices.

Our organic rustique finish is not simply a paint effect but is achieved by means of genuine oxidation. Iron metal is sprayed over a base coat after which a water solution is applied to produce the rust patina. This means that every radiator will be bespoke with a unique pattern.

The gorgeous rose copper finish contains genuine copper but is overlaid with a matt lacquer which prevents further tarnishing, whilst still maintaining the beautiful glow.

Please visit the Bisque website to see our special finish prices or contact a member of our sales team.





Below are our are striking two-tone Iridescent colours left to right: oyster, gold to silver, red to gold, purple to green and green to silver.





Classic in lacquered bare metal

This ever popular and exciting finish exposes the manufacturing marks that occur in the production of the radiator. Part of this industrial appeal is the lack of uniformity and regularity, as each model will be slightly different and therefore unique.

However, it is possible to identify some common effects, depending on the width or height of the radiator, due to the different manufacturing techniques used.

When considering stock sizes of Classics it is helpful to note the following;





Our floor mounted Classics are 4 columns wide. Models stocked in the lacquered bare metal finish are over 475mm high and will typically look as shown below. Note that the top of the radiator is quite uniform and light in colour.





For sizes outside of the stock range the following variations should be considered.

The manufacturing of the 3 column Classic, equal or over 400mm in height, has now changed and the finish will look similar to that of the 4-column model.





For radiators under 400mm in height (excl feet), the column will have a strong appearance with darker welding marks near the top and bottom. Those equal or over 400mm in height (excl feet) will have a much lighter, more uniform appearance.





Whilst the above should help to give a guide to some of the varieties in finish, we would advise that other differences could occur and that the beauty of this product is in its unique, industrial appearance.

Availability of colours and finishes

| Towel radiators | 3 | M | IETA | AL F | INIS | SHE | S | SPECIAL PAINT FINISHES | | | | | | | | | | | | | | (S) | | | | |
|--|------------------------|---------------------|------------|--------------|--------|-----------------|-------------------|------------------------|----------------|------------------------|-----------|------------|----------|------------|----------|-----------|----------------|----------|--------------|-----------------------------------|----------------------|-----------------------------|-----------------|-------------|------------------------------------|-----------------|
| Stock items To order Limited stock range Price on application | traffic white RAL 9016 | pure white RAL 9010 | matt white | white quartz | chrome | stainless steel | brushed aluminium | etched copper * | etched brass * | lacquered bare metal * | aluminium | anthracite | volcanic | matt black | plog | inox look | grey aluminium | titane | beige quartz | other quartz colours (exc. white) | champagne and marron | nickel look and white sable | deluxe finishes | iridescents | Bisque colour range (see page 168) | colour matching |
| Alban | | | | | | • | | | | | | | | | | | | | | | | | | | | |
| Archibald | | _ | <u> </u> | A | • | | | | | | | _ | _ | _ | <u> </u> | _ | _ | A | | A | | | | | _ | * |
| Balmoral | | | | | • | | | | | | | | | | | | | | | | | | A | | | * |
| Blok towel | • | <u> </u> | | | | | | | | | A | | • | | | | | | | | _ | A | | | * | * |
| Buckingham | | | | | • | | | | | | | | | | | | | | | | | | ^ | | | |
| Chime | | | | | | • | | | | | | | • | | | | | | | | | | | | | |
| Classic towel | | • | A | A | | | | | | | A | • | <u> </u> | A | A | <u> </u> | A | A | A | A | | | | A | A | * |
| Deline | • | A | ^ | ^ | • | | | | | | A | • | • | • | <u> </u> | <u> </u> | ^ | • | • | A | | | | | A | * |
| Gio | | | | | | • | | | | | | | | | | | | | | | | | | | | |
| Hot Spring | | A | <u> </u> | A | • | | | | | | A | | <u> </u> | | <u> </u> | _ | <u> </u> | <u> </u> | A | A | | | | | A | |
| Lissett towel | • | <u> </u> | | | | | | | | | A | | • | | | | | | | | _ | A | | | * | * |
| Olga | | | | | | • | | | | | | | | | | | | | | | | | | | | |
| Optic | • | A | • | A | • | | | | | | A | • | <u> </u> | • | <u> </u> | _ | <u> </u> | ^ | A | A | | | | | <u> </u> | * |
| Orbit | | | | | | • | | | | | | | | | | | | | | | | | | | | |
| Osbourne | | | | | • | | | | | | | | | | | | | | | | | | _ | | | |
| Pera | | | | | | • | | | | | | | | | | | | | | | | | | | | |
| Straight fronted | • | A | <u> </u> | A | • | | | | | | A | | A | A | <u> </u> | <u> </u> | A | ^ | A | A | | | | | A | * |
| Svelte | • | _ | | | | | | | | | _ | | • | | | | | | | | _ | A | | | * | * |

^{*} due to the manufacturing process, these finishes are unique to each individual radiator

Our colour range complements most interiors but for those who require that bit extra we also offer a colour matching service which can provide close matches to popular paint brands such as Farrow & Ball, Little Greene and Dulux as well as international ranges such as NCS and RAL. Price on application.

^{*} to obtain a quote please email quotes@zehnder.co.uk

| General purpose | ١ | ΝHI | TES | 6 | METAL FINISHES | | | | | | | SPECIAL PAINT FINISHES | | | | | | | | | | | | | | |
|---|------------------------|---------------------|------------|--------------|----------------|-----------------|-------------------|-----------------|----------------|------------------------|-----------|------------------------|----------|------------|----------|-----------|----------------|----------|--------------|-----------------------------------|----------------------|-----------------------------|-----------------|-------------|------------------------------------|-----------------|
| ■ Stock items ■ To order ■ Limited stock range Limited made to order range Price on application | traffic white RAL 9016 | pure white RAL 9010 | matt white | white quartz | chrome | stainless steel | brushed aluminium | etched copper * | etched brass * | lacquered bare metal * | aluminium | anthracite | volcanic | matt black | gold | inox look | grey aluminium | titane | beige quartz | other quartz colours (exc. white) | champagne and marron | nickel look and white sable | deluxe finishes | iridescents | Bisque colour range (see page 168) | colour matching |
| Arteplano | • | ^ | ^ | ^ | | | A | | • | | ^ | ^ | ^ | A | ^ | ^ | ^ | | ^ | ^ | | | | | ^ | |
| Blok | ^ | • | | | | | | | | | ^ | | • | | | | | | | | ^ | ^ | | | * | * |
| Classic | _ | • | <u> </u> | ^ | * | | | | | | <u> </u> | • | | _ | _ | ^ | <u> </u> | ^ | ^ | ^ | | | | ^ | _ | * |
| Decorative panel | _ | • | <u> </u> | <u> </u> | | | | | | | ^ | _ | _ | _ | _ | _ | <u> </u> | <u> </u> | <u> </u> | <u> </u> | | | | | _ | * |
| Finn | ^ | • | ^ | <u> </u> | | | | | | | ^ | _ | _ | _ | _ | ^ | _ | | A | ^ | <u> </u> | | | | _ | * |
| Flow Form | A | • | <u> </u> | <u> </u> | * | | | | | | <u> </u> | _ | _ | _ | _ | _ | ^ | <u> </u> | A | <u> </u> | | | | | • | * |
| Lissett | A | • | | | | | _ | | | | A | | • | | | | | | | | _ | _ | | | * | * |
| Trubi | ^ | • | ^ | ^ | | | | | | | ^ | ^ | • | A | ^ | ^ | <u> </u> | ^ | A | ^ | | | | | _ | * |

^{*} due to the manufacturing process, these finishes are unique to each individual radiator

Our colour range complements most interiors but for those who require that bit extra we also offer a colour matching service which can provide close matches to popular paint brands such as Farrow & Ball, Little Greene and Dulux as well as international ranges such as NCS and RAL. Price on application.

^{*} to obtain a quote please email quotes@zehnder.co.uk

Colours and special finishes

Please note: due to the limitations of the printing process, the colours shown here are not exact representations. If you wish to order a radiator in one of these colours, please ask to see our separate colour chart or ask for a sample before placing your order (samples can be ordered via our website).



Bisque colours


Not all our radiators are available in colours. Please consult the tables on pages 150 – 151.



^{*} These colours have a gloss finish. The remainder have a matt finish.

Please note: due to the limitations of the printing process, the finishes shown here are not exact representations. If you wish to order a radiator in one of these colours, please ask to see our separate colour chart or ask for a sample before placing your order.

Special paint finishes



Our colour range complements most interiors but for those who require that bit extra we also offer a colour matching service which can provide close matches to popular paint brands such as Farrow & Ball, Little Greene and Dulux as well as international ranges such as NCS and RAL. Price on application.

Please turn over to see other finishes for aluminium radiators and towel rails

Colours and special finishes

Please note: due to the limitations of the printing process, the colours shown here are not exact representations. If you wish to order a radiator in one of these colours, please ask to see our separate colour chart or ask for a sample before placing your order (samples can be ordered via our website).

Finishes exclusive to aluminium radiators

All four finishes available with Blok, Svelte, and Lissett.







SW208F Marron



M3000L Nickel Look 3



SBP9010 White Sable

Deluxe colour range

These Deluxe finishes are available to order on the Balmoral, Buckingham and Osbourne towel rails.



PB Polished Brass



AB Antique Brass



BZ Antique Bronze



AC Antique Copper



PC Polished Copper



BC Brushed Copper



AG Antique Gold



DG Dark Gold



BN Bright Nickel



the world is your lobster

Colour finish references

| p.4 | Alban ALB-140-50 mirror finish | p.71 | Svelte SVA-189-30 white RAL 9016 |
|------|--|-------|---|
| p.7 | Alban ALB-100-50 mirror finish | p.72 | Svelte SVA-189-30 volcanic |
| p.8 | Archibald ARB-120-50 flame red RAL 3000 | p.73 | Svelte SVA-189-30 champagne |
| p.9 | Archibald ARB-120-50 chrome | p.74 | Arteplano HJ-180-60 etched copper |
| p.10 | Balmoral BALM polished brass / calamine | p.76 | HJ-180-45 brushed bronze |
| p.11 | Balmoral BALM chrome | | HJ-180-45 brushed black |
| p.13 | Blok towel BLA-160-33 volcanic finish | | HJ-180-45 mirror |
| p.15 | Blok towel BLA-60-33 white RAL 9016 | p.77 | HJ-180-45 white RAL 9010 |
| p.16 | Buckingham BUCK polished brass | p.78 | VJ-56-120 etched brass |
| p.17 | Buckingham BUCK chrome | p.79 | VJ-56-100 etched copper |
| p.19 | Chime CHM-100-50 mirror finish | p.81 | Blok BLA-60-82 volcanic |
| p.21 | Chime CHM-140-50 volcanic | p.82 | Blok BLA-60-66 champagne, marron, nickel, white sable |
| p.22 | Classic towel 2W-150-46 anthracite | | Blok BLA-60-82 traffic yellow RAL 1023 |
| p.23 | Classic towel 2W-150-46 anthracite | p.83 | Blok BLA-60-99 volcanic |
| p.25 | Classic towel 2W-75-46 violet | p.85 | Blok BLA-190-33 white RAL 9010 |
| p.27 | Classic towel 2W-180-46 white RAL 9010 | p.87 | Classic 4F-40-110 anthracite |
| p.28 | Deline DEL-120-60 beige quartz | p.88 | Bespoke angled Classic white RAL 9010 |
| p.31 | Deline DEL-120-50 matt black | | Classic 4F-50-55 rose copper |
| p.33 | Deline DEL-180-60 chrome | | Classic 4F-50-55 matt black |
| p.34 | Gio GIO-150-55 mirror finish | p.89 | Classic 4F-50-55 anthracite |
| p.35 | Gio GIO-150-55 mirror finish | p.91 | Classic 2W-150-26 anthracite |
| p.37 | Gio GIO-90-55 mirror finish | p.93 | Classic 4F-50-55 lacquered bare metal finish |
| p.38 | Hot Spring HOT-180 chrome | p.95 | Classic 4F-60-83 rose copper |
| p.40 | Hot Spring HOT-180 traffic yellow RAL 1023 | p.97 | Classic 4F-50-55 flame red RAL 3000 |
| p.41 | Hot Spring HOT-180 traffic yellow RAL 1023 | p.99 | Classic 4F-50-46/E NCS S 0520-R90B |
| p.42 | Lissett LI-190-40 white RAL 9016 | p.101 | Classic 4F-60-83 gold |
| p.43 | Lissett LI-190-40 white RAL 9016 | p.102 | Decorative panel DH-50-150 white RAL 9010 |
| p.45 | Lissett LI-60-40 volcanic | p.105 | Decorative panel DH-57-100 titane |
| p.46 | Olga OLG-120-50 mirror finish | p.107 | Decorative panel DVL-180-42 volcanic |
| p.49 | Olga OLG-120-50 mirror finish | p.108 | Finn FN-60-98 aluminium finish |
| p.51 | Optic OPT-120-60 matt black | p.110 | Finn FN-180-42 white RAL 9010 |
| p.53 | Optic OPT-120-50 chrome | | Finn FN-180-35 aluminium finish / double |
| p.55 | Orbit OBTL-150-50 mirror finish | p.113 | Flow Form XFF-200 white RAL 9010 |
| p.57 | Orbit OBTL-120-50 mirror finish | p.115 | Flow Form XFF-100 various colours |
| p.58 | Osbourne OSBO antique bronze | p.116 | Lissett LI-190-40 champagne |
| p.59 | Osbourne OSBO chrome | p.117 | Lissett LI-190-40 champagne |
| p.60 | Pera PER-120-50 mirror finish | p.118 | Lissett LI-60-80 white RAL 9010 |
| p.61 | Pera PER-120-50 mirror finish | | Lissett LI-60-80 volcanic |
| p.63 | Pera PER-80-50/180-50 mirror finish | p.119 | Lissett LI-60-40 traffic yellow RAL 1023 |
| p.65 | Straight fronted SFT-120-50 anthracite | p.121 | Lissett LI-160-40 volcanic |
| p.67 | Straight fronted SFT-150-50 chrome | p.122 | Trubi TRB-180-40 white RAL 9010 |
| p.69 | Straight fronted SFT-150-50 chrome | p.125 | Trubi TRBD-60-100 volcanic |
| p.70 | Svelte SVA-189-30 white RAL 9016 | p.127 | Trubi TRBD-180-30 titane |
| | | • | |

Terms and Conditions of Trading

A complete copy of the company's terms and conditions of trading are available on our website www.bisque.co.uk

Please note the following:

- All delivery times quoted are estimates only.
- Returned goods for credit will only be accepted by prior arrangement (confirmed in writing), within 8 weeks of the date of despatch, where the goods are part of our stock range and where the goods are as fit for sale on their return as they were on delivery. If goods have been fitted this is deemed as acceptance of their quality. We cannot accept the return of non-stock goods.
- Where a radiator is returned as no longer required and an alternative radiator is not ordered a 25% restocking fee plus a £10 administration fee will be charged. If a radiator is no longer required but an alternative radiator is ordered, either a restocking fee of £25 or 25% of the value (whichever is the lower) will be charged, but the administration fee of £10 will be waived.
- Radiators with steel components (other than stainless steel) must not be installed on a domestic hot water circuit. If a stainless steel or brass product is to be installed on the domestic hot water circuit, a check should be made with the local water authority to ensure that dezincification is not a common occurrence.
- Artificially softened water should not be used to fill radiators. For FAQ radiator/waterrelated information, visit www.fernox.com
- You are responsible for ensuring the suitability, conformity and interoperability of the goods or indicative system design suggestions provided by us, with your heating system and your design requirements. It is important that you undertake such verification with an appropriately qualified expert third party.
- All measurements given in this brochure are nominal dimensions only.
- All brochures, catalogues and other promotional materials are to be treated as illustrative only. Their contents form no part of any contract between us and you should not rely on them in entering into any contract with us. Any typographical, clerical or other error or omission in any literature, quotation, price list, or other document issued by us will be subject to correction without liability being incurred by us.

BISQUE

T: 01276 605 800 F: 01276 469 094

To place an order: Orders@bisque.co.uk
General enquiries: Retailsales@bisque.co.uk
Aftersales: Aftersales@bisque.co.uk
Quotes: Quotes@bisque.co.uk

www hisque co uk